





Licht met een oorsprong light with an origin la lumière avec une origine

Steinhauer ontwerpt en ontwikkelt al ruim vijfentachtig jaar verlichtingsarmaturen.

Het voortdurend creatief toepassen van trends is, mede dankzij onze ervaring, ons handelsmerk geworden. Steinhauer is niet alleen in staat om armaturen een eigen gezicht te geven; het is minstens zo belangrijk dat de producten voldoen aan de laatste normen, eisen en richtlijnen.



Flexibiliteit in ontwerp en productie bepaalt ons succes. Om daaraan te kunnen voldoen hebben wij alle fasen van het productie-proces in eigen beheer: van ontwerp en ontwikkeling tot productie.

For over eighty years, Steinhauer has been designing and developing lighting fittings.

Putting this experience to good use in the constant, creative adoption of trends has become our trademark. Besides designing unique fittings, Steinhauer offers its customers commercially attractive arrangements. The measure of our success lies in design and production flexibility. To meet the rigid requirements of flexibility, we control each production phase in-house: from design and development to production. Our catalogue puts the spotlight on our collection of lighting fittings. When it comes to fittings, Stein-hauer is lighting the way.

Depuis plus de quatre-vingts ans, Steinhauer crée et développe des armatures d'éclairage.

Riches d'une longue expérience, nous avons su faire de l'adaptation créative des tendances notre marque de fabrique. Chez Steinhauer, nous ne nous contenterons pas de donner à nos armatures un visage qui leur soit propre. Elles doivent également présenter un avantage commercial.



Paul Steinhauer senior

Une conception et une production flexibles s'avèrent déterminants pour notre réussite. Afin de satisfaire à cette exigence de flexibilité, nous gérons en mains propres toutes les phases du processus de production, de la conception au transport en passant par la production.





Mark Steinhauer
CEO




Ontwerpen met passie! Designing with passion! Gestalten mit Leidenschaft! Conception avec passion!

Mijn visie op het samenstellen van een collectie:

We investeren in eigen ontwerp, ontwikkeling en productie. En creëren daarmee onze eigen identiteit, herkenbaar voor onze klanten. Onze catalogus geeft u een goed beeld van onze complete collectie. Steinhauer streeft altijd naar een nieuw licht op armaturen.

Meine Vision vom Zusammenstellen einer Kollektion:

Wir investieren in eigenen Entwurf, Entwicklung und Produktion. Wir kreieren somit unsere eigene Identität, erkennbar für unsere Kunden. Unser katalog gibt Ihnen ein gutes Bild von unserer gesamten Kollektion. Steinhauer strebt immer nach überraschenden neuen Leuchten.




My vision of assembling a collection:

We invest in their own design, development and production. And thus create our own identity, recognizable to our customers. Our catalog gives you a good idea of our complete collection. Steinhauer always strives for creating surprising new light fixtures.

Ma vision sur la création d'une collection:

Nous investissons dans notre propre concept, développement et production. Nous créons ainsi notre propre identité, reconnaissable pour nos clients. Notre catalogue vous donne une bonne idée de notre complète collection. Steinhauer cherche toujours surprenants luminaires.





Steinhauer entwirft und entwickelt bereits seit mehr als fünfundachtzig Jahren Beleuchtungsarmaturen.




Das konsequente und kreative Einspielen auf Trends wurde, auch aufgrund unserer Erfahrung, zu unserem Warenzeichen. Steinhauer verleiht Armaturen nicht nur eine spezielle Optik, ebenso wichtig ist, daß sie für Sie auch in kommerzieller Hinsicht interessant sind. Flexibilität in bezug auf Entwurf und Produktion ist maßgebend für unseren Erfolg. Um dieser Forderung der Flexibilität entsprechen zu können, haben wir alle Schritte im Produktionsverfahren in eigener Verwaltung: von Entwurf und Entwicklung bis hin zu Produktion und Transport. Steinhauer bringt Licht in Armaturen!


Internationale beurzen
International fairs
Foires internationales



light+building




Steinhauer booth at the world's leading trade fair for lighting and building services technology.




NDEX



Ancilla	pag. 116
Bande	pag. 32
Bikkel	pag. 144
Bloc	pag. 30
Bollique	pag. 112
Brass	pag. 228
Brooklyn	pag. 154
Capri	pag. 160
Ceiling & wall	pag. 190
Color shades	pag. 200
Constellation	pag. 127
Elegant Classy	pag. 210
Flere	pag. 104
Krisip	pag. 134
Lenox	pag. 184
Lima	pag. 212
Litho	pag. 78
Lotus	pag. 130
Muro	pag. 70
Natasja	pag. 180
Nimbus	pag. 143
Outdoor Collection	pag. 232
Parade	pag. 141
P,lite spot	pag. 185
Pimpernel	pag. 170
Point noirs	pag. 178
Prestige Chic	pag. 214
Profilo	pag. 38
Punkt	pag. 46
Quattro	pag. 174
Reflexion	pag. 106
Retina	pag. 40
Ringlede	pag. 80
Semicirkel	pag. 136
Serenade	pag. 74
Smukt	pag. 128
Soleil	pag. 42
Sparkled Light	pag. 202
Spring	pag. 138
Stang	pag. 220
Storm	pag. 140
Tallerken	pag. 96
Tør	pag. 126
Tuk	pag. 159
Turound	pag. 10
Veneer	pag. 129
Verre Nervur,	pag. 102
Vortex	pag. 94
Warbier	pag. 142
Zelena	pag. 88
Zenith	pag. 48
Zodiac	pag. 62




Pag. 10
Turound




Pag. 30
Bloc



Pag. 32
Bande



Pag. 38
Profilo



Pag. 40
Retina



Pag. 42
Soleil



Pag. 46
Punkt




Pag. 48
Zenith



Pag. 62
Zodiac



Pag. 70
Muro



Pag. 74
Serenade



Pag. 78
Litho



Pag. 80
Ringlede



Pag. 88
Zelena



Pag. 94
Vortex



Pag. 96
Tallerken



Pag. 102
Verre Nervuré



Pag. 104
Flere



Pag. 106
Reflexion




Pag. 112
Bollique




Pag. 116
Ancilla



Pag. 126
Tør



Pag. 127
Constellation



Pag. 128 / Pag. 129
Smukt / Veneer



Pag. 130
Lotus



Pag. 134
Krisip



Pag. 136
Semicirkel



Pag. 138
Spring



Pag. 140 / Pag. 141
Storm / Parade



Pag. 142 / Pag. 143
Warbier / Nimbus



Pag. 144
Bikkel



Pag. 154
Brooklyn



Pag. 159
Tuk



Pag. 160
Capri



Pag. 170
Pimpernel



Pag. 174
Quattro



Pag. 178
Point noirs



Pag. 180
Natasja




Pag. 184
Lenox



Pag. 185
Pélite spot



Pag. 190
Ceiling & wall



Pag. 200
Color shades



Pag. 202
Sparkled Light



Pag. 210
Elegant Classy



Pag. 212
Lima



Pag. 214
Prestige Chic



Pag. 220
Stang



Pag. 228
Brass



Pag. 232
Outdoor Collection





2663ZW


Turound - smoke glass

Article	Electrification	L x W x H	Extra information
2663ZW	10W + 40W	27 x 58 x 187	2700 Kelvin, 1000 + 4000 Lumen, CRI 90, push dimmers
2664ZW	10W	Ø25 x 126	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
2734ZW	10W	62 x 20 x 17	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
3081ZW	10W	56 x 100-140	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
3095ZW	10W	Ø14 x 17	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer



3081ZW


2664ZW





Turound - smoke glass

Article	Electrification	L x W x H	Extra information
2989ZW	10W + 40W	27 x 50 x 187	2200-4000 Kelvin, 1000 + 4000 Lumen, CRI 90, push dimmers, light color adjustable
2991ZW	10W	23 x 45 x 125-145	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable
2993ZW	40W	Ø27 x 187	2200-4000 Kelvin, 4000 Lumen, CRI 90, push dimmer, light color adjustable






Turound - smoke glass

Article	Electrification	L x W x H	Extra information
3374ZW	10W	Ø45 x 18 x 30-45	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable
3376ZW	5 x 10W	Ø91 x 30-45	2700 Kelvin, 5000 Lumen, CRI 90, dimmable driver
3378ZW	10W	51 x 12 x 20-45	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable



3095ST



2734ST



Steinhauer
LIGHTING
exclusive



2663ST



Turound - smoke glass

Article	Electrification	L x W x H	Extra information
2663ST	10W + 40W	27 x 58 x 187	2700 Kelvin, 1000 + 4000 Lumen, CRI 90, push dimmers
2664ST	10W	Ø25 x 126	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
2734ST	10W	62 x 20 x 17	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
3081ST	10W	56 x 100-140	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
3095ST	10W	Ø14 x 17	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer



3376ST



3378ST



3374ST



2991ST





2993ST



2989ST

Turound - smoke glass

Article	Electrification	L x W x H	Extra information
2989ST	10W + 40W	27 x 50 x 187	2200-4000 Kelvin, 1000 + 4000 Lumen, CRI 90, push dimmers, light color adjustable
2991ST	10W	23 x 45 x 125-145	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable
2993ST	40W	Ø27 x 187	2200-4000 Kelvin, 4000 Lumen, CRI 90, push dimmer, light color adjustable
3374ST	10W	Ø45 x 18 x 30-45	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable
3376ST	5 x 10W	Ø91 x 30-45	2700 Kelvin, 5000 Lumen, CRI 90, dimmable drive
3378ST	10W	51 x 12 x 20-45	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable





Turound - clear glass

Article	Electrification	L x W x H	Extra information
2560ZW	10W + 40W	27 x 58 x 187	2700 Kelvin, 1000 + 4000 Lumen, CRI 90, push dimmers
2561ZW	10W	Ø25 x 126	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
2733ZW	10W	62 x 20 x 17	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
3082ZW	10W	56 x 100-140	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
3096ZW	10W	Ø14 x 17	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer



2990ZW



2988ZW



3377ZW



3373ZW

2992ZW



Turround - clear glass

Article	Electrification	L x W x H	Extra information
2988ZW	10W + 40W	27 x 50 x 187	2200-4000 Kelvin, 1000 + 4000 Lumen, CRI 90, push dimmers, light color adjustable
2990ZW	10W	23 x 45 x 125-145	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable
2992ZW	40W	Ø27 x 187	2200-4000 Kelvin, 4000 Lumen, CRI 90, push dimmer, light color adjustable
3373ZW	10W	Ø45 x 18 x 30-45	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable
3375ZW	5 x 10W	Ø91 x 30-45	2700 Kelvin, 5000 Lumen, CRI 90, dimmable driver
3377ZW	10W	51 x 12 x 20-45	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable



steinhauer
LIGHTING
exclusive



Turound - clear glass

Article	Electrification	L x W x H	Extra information
2560ST	10W + 40W	27 x 58 x 187	2700 Kelvin, 1000 + 4000 Lumen, CRI 90, push dimmers
2561ST	10W	Ø25 x 126	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
2733ST	10W	62 x 20 x 17	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
3082ST	10W	56 x 100-140	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer
3096ST	10W	Ø14 x 17	2700 Kelvin, 1000 Lumen, CRI 90, push dimmer



2733ST



3096ST



2561ST








Turound - clear glass

Article	Electrification	L x W x H	Extra information
2990ST	10W	23 x 45 x 125-145	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable
2992ST	40W	Ø27 x 187	2200-4000 Kelvin, 4000 Lumen, CRI 90, push dimmer, light color adjustable
3377ZW	10W	51 x 12 x 20-45	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable



Turound - clear glass



Article	Electrification	L x W x H	Extra information
2988ST	10W+ 40W	27 x 50 x 187	2200-4000 Kelvin, 1000 + 4000 Lumen, CRI 90, push dimmers, light color adjustable
3373ST	10W	Ø45 x 18 x 30-45	2200-4000 Kelvin, 1000 Lumen, CRI 90, push dimmer, light color adjustable
3375ST	5 x 10W	Ø91 x 30-45	2700 Kelvin, 5000 Lumen, CRI 90, dimmable driver



2988ST

3297ZW



3297ST






Bloc



Article	Electrification	L x W x H	Extra information
3296	7 x 6W	120 x 2,2 x 130	2700 Kelvin, 4200 Lumen, CRI 90, dimmable driver
3297	11 x 6W	171 x 2,2 x 130	2700 Kelvin, 6600 Lumen, CRI 90, dimmable driver






3314ST



Bandé

Article	Electrification	L x W x H	Extra information
3314	2 x 16,8W + 2 x 5,4W	114 x 16,9 x 130	2200-4000 Kelvin, 4500 Lumen, CRI90, up- and downlight, seperately dimmable and adjustable in light color






3315ST




3315ZW




Bande

Article	Electrification	L x W x H	Extra information
3315	2 x 16,8W	114 x 2 x 120	2200-3000 Kelvin, 3400 Lumen, CRI90, dim to warm
3316	2 x 21W	150 x 2 x 120	2200-3000 Kelvin, 4200 Lumen, CRI90, dim to warm





Bandé

Article	Electrification	L x W x H	Extra information
3319	16,8W + 2 x 4,2W	122 x 3 x 80-120	2200-4000 Kelvin, 2500 Lumen, CRI90, up- and downlight seperately dimmable and adjustable in light color
3320	21W + 2 x 8,4W	155 x 3 x 80-120	2200-4000 Kelvin, 3800 Lumen, CRI90, up- and downlight seperately dimmable and adjustable in light color



steinhauer
LIGHTING
exclusive





Profilo

Article	Electrification	L x W x H	Extra information
3317	16,8W	114,5 x 3 x 170	2200-4000 Kelvin, 1700 Lumen, CRI90, dimmable and light color adjustable
3318	21W	150,5 x 3 x 170	2200-4000 Kelvin, 2100 Lumen, CRI90, dimmable and light color adjustable





3083ST

Retina

Article	Electrification	L x W x H	Extra information
3083	10W	22,5 x 60 x 100-125	2200-3000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm



3258ST

Soleil

Article	Electrification	L x W x H	Extra information
3257ST	10W	Ø25 x 61 x 133	2200-3000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3258ST	10W + 40W	Ø32 x 72 x 183	2200-3000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
3259ST	10W	Ø14 x 55 x 32	2200-3000 Kelvin, 1000 Lumen, CRI9, push dimmer, light color adjustable





3259ST



3257ST








3257ZW



Soleil

Article	Electrification	L x W x H	Extra information
3257ZW	10W	Ø25 x 61 x 133	2200-3000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3258ZW	10W + 40W	Ø32 x 72 x 183	2200-3000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
3259ZW	10W	Ø14 x 55 x 32	2200-3000 Kelvin, 1000 Lumen, CRI9, push dimmer, light color adjustable



Punkt

Article	Electrification	L x W x H	Extra information
2558ZW	2 x 6W	47 x 22 x 123-150	2200-3000 Kelvin, 2 x 700 Lumen, touchdimmers, CRI90, dim to warm
2559ZW	6W	Ø22 x 118-150	2200-3000 Kelvin, 700 Lumen, touchdimmer, CRI90, dim to warm






1569ST

Zenith



Article	Electrification	L x W x H	Extra information
1477ST	30W	Ø28 x 185	2200-4000 Kelvin, 2200 Lumen, CRI90, push dimmer, light color adjustable
1569ST	2 x 6W	47 x 22 x 123-140	2200-4000 Kelvin, 2 x 700 Lumen, CRI90, push dimmers, light color adjustable
7860ST	6W + 30W	Ø28 x 185	2200-4000K, 700 + 2200 Lumen, CRI90, push dimmers, light color adjustable





1442ST



7910ST



1470ST





7862ST

Zenith

Article	Electrification	L x W x H	Extra information
1442ST	6W	Ø12 x 14,5 x 12	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
1470ST	6W	Ø15,5 x 42	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
7910ST	6W	Ø22 x 118-150	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
7862ST	6W	Ø22 x 118-144	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable





Zenith

Article	Electrification	L x W x H	Extra information
1442ZW	6W	Ø12 x 14,5 x 12	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
1477ZW	30W	Ø28 x 187	2200-4000 Kelvin, 2200 Lumen, CRI90, push dimmer, light color adjustable
1569ZW	2 x 6W	47 x 22 x 123-140	2200-4000 Kelvin, 2 x 700 Lumen, CRI90, push dimmers, light color adjustable
7862ZW	6W	Ø22 x 118-144	2200-4000 Kelvin, 700 Lumen, push dimmer, CRI90, light color adjustable





Zenith






Article	Electrification	L x W x H	Extra information
1470ZW	6W	Ø15,5 x 42	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
7860ZW	6W + 30W	Ø28 x 185	2200-4000 Kelvin, 700 + 2200 Lumen, CRI90, push dimmers light color adjustable
7910ZW	6W	Ø22 x 118-150	2200-4000K, 700 Lumen, push dimmer, CRI90, light color adjustable



Zenith

Article	Electrification	L x W x H	Extra information
1470BR	6W	Ø15,5 x 42	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
1569BR	2 x 6W	47 x 22 x 123-140	2200-4000 Kelvin, 2 x 700 Lumen, CRI90, push dimmers, light color adjustable
7910BR	6W	Ø22 x 118-150	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable



1470BR



7910BR



7860BR



1477BR

Zenith

Article	Electrification	L x W x H	Extra information
1442BR	6W	Ø12 x 14,5 x 12	2200-4000K, 700 Lumen, CRI90, push dimmer, light color adjustable
1477BR	30W	Ø28 x 185	2200-4000K, 2200 Lumen, CRI90, push dimmer, light color adjustable
7860BR	6W + 30W	Ø28 x 185	2200-4000K, 700 + 2200 Lumen, CRI90, push dimmers, light color adjustable
7862BR	6W	Ø22 x 118-144	2200-4000K, 700 Lumen, CRI90, push dimmer, light color adjustable



7862BR




1442BR



7860ME





Zenith

Article	Electrification	L x W x H	Extra information
1470ME	6W	Ø15,5 x 42	2200-4000K, 700 Lumen, CRI90, push dimmer, light color adjustable
7860ME	6W + 30W	Ø28 x 185	2200-4000K, 700 + 2200 Lumen, CRI90, push dimmers, light color adjustable
7910ME	6W	Ø22 x 118-150	2200-4000K, 700 Lumen, CRI90, push dimmer, light color adjustable





Zodiac

Article	Electrification	L x W x H	Extra information
7972	7W + 30W	Ø28 x 185	2700 Kelvin, 700 + 3000 Lumen, CRI90, push dimmers



2108ST



2107ST



Zodiac

Article	Electrification	L x W x H	Extra information
2107ST	6W + 25W	65 x 65 x 185	2700 Kelvin, 700 + 2200 Lumen, CRI90, push dimmers
2108ST	6W	60 x 60 x 100-150	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2109ST	6W	15 x 15 x 30-60	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2110ST	6W	12 x 12 x 53	2700 Kelvin, 700 Lumen, CRI90, push dimmer



2107ZW



2108ZW



Zodiac

Article	Electrification	L x W x H	Extra information
2107ZW	6W + 25W	65 x 65 x 185	2700 Kelvin, 700 + 2200 Lumen, CRI90, push dimmers
2108ZW	6W	60 x 60 x 100-150	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2109ZW	6W	15 x 15 x 30-60	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2110ZW	6W	12 x 12 x 53	2700 Kelvin, 700 Lumen, CRI90, push dimmer



Zodiac

Article	Electrification	L x W x H	Extra information
2107BR	6W + 25W	65 x 65 x 185	2700 Kelvin, 700 + 2200 Lumen, CRI90, push dimmers
2108BR	6W	60 x 60 x 100-150	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2109BR	6W	15 x 15 x 30-60	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2110BR	6W	12 x 12 x 53	2700 Kelvin, 700 Lumen, CRI90, push dimmer





3364ZW





3364ST



3366ZW



3366ST



Muro


Article	Electrification	L x W x H	Extra information
3364	3W G9	13 x 11 x 8	2700 Kelvin, 300 Lumen, externally dimmable
3366	3W G9	12 x 14 x 12	2700 Kelvin, 300 Lumen, externally dimmable



3368ZW



3367ZW





3098ST

BATHROOM
IP44



3098ZW



3365ZW



3365ST

Muro

Article	Electrification	L x W x H	Extra information
3098	2 x 3W	11 x 11 x 11	2700 Kelvin, 2 x 240 Lumen, externally dimmable, IP44
3365	3W G9	13 x 7,5 x 9	2700 Kelvin, 300 Lumen, externally dimmable
3367ZW	3W G9	13,5 x 12,5 x 13	2700 Kelvin, 300 Lumen, externally dimmable
3368ZW	2 x 3W G9	20 x 12,5 x 13	2700 Kelvin, 2 x 300 Lumen, externally dimmable



Serenade

Article	Electrification	L x W x H	Extra information
2684	10W	20 x 15 x 60	4-steps dimmable, 2200-2800-3400-4000 Kelvin, 900 Lumen, light color adjustable
2685	10W	20 x 15 x 140	4-steps dimmable, 2200-2800-3400-4000 Kelvin, 900 Lumen, light color adjustable



2684ZW



Serenade

Article	Electrification	L x W x H	Extra information
3121	8 W + 2 x 12W	25 x 50 x 177	4-steps dimmable, 2200-2800-3400-4000 Kelvin, 3200 Lumen, light color adjustable







2432BR




2432ST



2432ZW

Litho

Article	Electrification	L x W x H	Extra information
2431	9W	60 x 15,4 x 9,4	2200-4000 Kelvin, 850 Lumen, CRI90, push dimmer, light color adjustable
2432	5W	32 x 15,4 x 9,4	2200-4000 Kelvin, 500 Lumen, CRI90 push dimmer, light color adjustable





Ringlede

Article	Electrification	L x W x H	Extra information
2562ZI	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, externally dimmable
2563ZI	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, externally dimmable
2695ZI	40W	Ø48 x 15 -160	2700 Kelvin, 3600 Lumen, externally dimmable
3086ZI	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, externally dimmable
3299ZI	30W	Ø38 x 15 -160	2700 Kelvin, 2800 Lumen, externally dimmable



2563GO







3086GO



2562GO



3299GO



2695GO

Ringlede

Article	Electrification	L x W x H	Extra information
2562GO	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, externally dimmable
2563GO	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, externally dimmable
2695GO	40W	Ø48 x 15 -160	2700 Kelvin, 3600 Lumen, externally dimmable
3086GO	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, externally dimmable
3299GO	30W	Ø38 x 15 -160	2700 Kelvin, 2800 Lumen, externally dimmable

2695ZW





Ringlede

Article	Electrification	L x W x H	Extra information
2562ZW	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, externally dimmable
2563ZW	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, externally dimmable
2695ZW	40W	Ø48 x 15 -160	2700 Kelvin, 3600 Lumen, externally dimmable
3086ZW	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, externally dimmable
3299ZW	30W	Ø38 x 15 -160	2700 Kelvin, 2800 Lumen, externally dimmable



Ringlede

Article	Electrification	L x W x H	Extra information
2562W	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, externally dimmable
2563W	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, externally dimmable
2695W	40W	Ø48 x 15 -160	2700 Kelvin, 3600 Lumen, externally dimmable
3086W	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, externally dimmable
3299W	30W	Ø38 x 15 -160	2700 Kelvin, 2800 Lumen, externally dimmable

2695W





Zelena


Article	Electrification	L x W x H	Extra information
1482	2 x 4W + 17W	122 x 8 x 82-117	2200-4000 Kelvin, 2500 Lumen, CRI90, push dimmers, up- and down-light separately dimmable and light color adjustable

1482ST



1482ZW






Zelena

Article	Electrification	L x W x H	Extra information
7971	2 x 4W + 21W	150 x 8 x 82-117	2200-4000 Kelvin, 3700 Lumen, CRI90, push dimmers, up- and down-light separately dimmable and light color adjustable





7970ST



Zelena

Article	Electrification	L x W x H	Extra information
7970	2 x 4W + 2 x 16W	90-150 x 8 x 78-120	2200-4000 Kelvin, 4000 Lumen, CRI90, up- and down-light separately dimmable and light color adjustable



7970ZW






3066ST

Vortex

Article	Electrification	L x W x H	Extra information
3066	5 x 5W	120 x 9,5 x 140	2700-4000 Kelvin, 1100 Lumen, CRI85, touch dimmer and color adjustable in steps







2656ST



2657ST



2659ST

Tallerken


Article	Electrification	L x W x H	Extra information
2654ST	3 x 3W G9	108 x 18 x 80-160	2700 Kelvin, 3 x 300 Lumen, external dimmable
2655ST	3W G9	Ø18 x 60-120	2700 Kelvin, 300 Lumen, external dimmable
2656ST	3W G9	27 x 18 x 36	2700 Kelvin, 300 Lumen, push dimmer
2657ST	3W G9	27 x 18 x 45	2700 Kelvin, 300 Lumen, push dimmer
2658ST	4 x 3W G9	120 x 18 x 80-120	2700 Kelvin, 4 x 300 Lumen, push dimmer
2659ST	3 x 3W G9	Ø46 x 171	2700 Kelvin, 3 x 300 Lumen, push dimmer





Tallerken

Article	Electrification	L x W x H	Extra information
2654ZW	3 x 3W G9	108 x 18 x 80-160	2700 Kelvin, 3 x 300 Lumen, external dimmable
2655ZW	3W G9	Ø18 x 60-120	2700 Kelvin, 300 Lumen, external dimmable
2656ZW	3W G9	27 x 18 x 36	2700 Kelvin, 300 Lumen, push dimmer
2657ZW	3W G9	27 x 18 x 45	2700 Kelvin, 300 Lumen, push dimmer
2658ZW	4 x 3W G9	120 x 18 x 80-120	2700 Kelvin, 4 x 300 Lumen, push dimmer
2659ZW	3 x 3W G9	Ø46 x 171	2700 Kelvin, 3 x 300 Lumen, push dimmer






Sovereign Classic

Article	Electrification	L x W x H	Extra information
2739BR	3 x 3W G9	108 x 18 x 80-160	2700 Kelvin, 3 x 300 Lumen, external dimmable
2740BR	3W G9	Ø18 x 60-120	2700 Kelvin, 300 Lumen, external dimmable
2741BR	3W G9	27 x 18 x 36	2700 Kelvin, 300 Lumen, push dimmer
2742BR	3W G9	27 x 18 x 45	2700 Kelvin, 300 Lumen, push dimmer
2743BR	4 x 3W G9	120 x 18 x 80-120	2700 Kelvin, 4 x 300 Lumen, push dimmer
2744BR	3 x 3W G9	Ø46 x 171	2700 Kelvin, 3 x 300 Lumen, push dimmer





Verre nervuré

Article	Electrification	L x W x H
3074ZW	E27	Ø20 x 30-140
3075ZW	E27	Ø30 x 30-135
3076ZW	E27	Ø30 x 30-135
3077ZW	6 x E27	150 x 45 x 35-160



Flere

Article	Electrification	L x W x H
2669ZW	E27	Ø25 x 60-160
2670ZW	E27	Ø23 x 60-160
2671ZW	E27	Ø31 x 60-160
2672ZW	6 x E27	150 x 45 x 60-160



2672ZW





Reflexion

Article	Electrification	L x W x H
3078ZW	5 x E27	100 x 30 x 35-160
3079ZW	3 x E27	Ø40 x 30-370





2679ZW



2680ZW

Reflexion

Article	Electrification	L x W x H
2679ZW	7 x E27	Ø55 x 60-350
2680ZW	8 x E27	145 x 14 x 60-160





2682ZW

Reflexion

Article	Electrification	L x W x H	Extra information
2681ZW	E27	Ø22 x 22	Cable switch
2682ZW	E27	Ø15 x 22	Cable switch
2683ZW	E27	Ø16 x 22	Cable switch





Bollique

Article	Electrification	L x W x H
7376ST	5 x E27	Ø60 x 375
2730ZW	5 x E27	Ø60 x 350



2730ZW





Bollique

Article	Electrification	L x W x H
3122ZW	3 x E27	120 x25 x 160
3123ZW	3 x E27	Ø35 x 200
3323ZW	E27	Ø20 x 26
3324ZW	E27	25 x 15 x 51
3325ZW	E27	Ø25 x 38 x 149

3325ZW



3324ZW



3323ZW





5557ST



3104ZW



7932BE



7932ST



7932BR

Ancilla

Article	Electrification	L x W x H	Extra information
5557ST	2 x E14	Ø30 x 39	Cable switch
3104/ 7932	3W G9	Ø18 x 30	2700 Kelvin, 350 Lumen, cable switch on/off, light source 3-steps dimmable



Ancilla

Article	Electrification	L x W x H	Extra information
3101 / 3103	E14	Ø14,5 x 26	touch dimmer (4 steps)



3103ZW



3101BR



3101ST





7933CH




3105CH

Ancilla

Article	Electrification	L x W x H	Extra information
3100 / 3102	E14	Ø13,5 x 31	touch dimmer (4 steps)
3105 / 7933	3W G9	Ø18 x 30	2700 Kelvin, 350 Lumen, touch dimmer (3 steps)
3353ZW	3W LED	Ø19,5 x 30	3000 Kelvin, 240 Lumen, USB-chargeable



3353ZW



3100ST

3100BR

3102ZW





Ancilla

Article	Electrification	L x W x H	Extra information
2557ZW	E27	Ø16 x 32cm	cable switch on/off



Yorkshire

Article	Electrification	L x W x H	Extra information
7774ZW	E27	17 x 34-61 x 23	cable switch on/off



6185BR



6186BR

Ancilla

Article	Electrification	L x W x H	Extra information
6185 / 6186	E27	26 x 15 x 39	pull switch
7735 / 7961	E27	27 x 15 x 57	pull switch



7961BR



3298ZW



Tør

Article	Electrification	L x W x H	Extra information
3298ZW	6 x 5W	100 x 21 x 40-150	2700 Kelvin, 3000 Lumen, external dimmable

2709ZW



Constellation

Article	Electrification	L x W x H
2709ZW	6 x E14	Ø101 x 60-150

2697BE



2698BE



Smukt

Article Electrification L x W x H

2697BE	E27	Ø50 x 60-150
2698BE	E27	Ø30 x 60-150



3080BE



Veneer

Article	Electrification	L x W x H
3080BE	E27	Ø50 x 30-160



Lotus

Article	Electrification	L x W x H
1899ST	3 x E14	100 x 16 x 25-150
1900ST	4 x E14	140 x 16 x 25-150
1901ST	E14	Ø16 x 25-150







Lotus

Article	Electrification	L x W x H
1897ZW	E27	Ø25 x 33-150
1898ZW	3 x E27	132 x 25 x 31-153
1899ZW	3 x E14	100 x 16 x 25-150
1900ZW	4 x E14	140 x 16 x 25-150
1901ZW	E14	Ø16 x 25-150



Lotus

Article	Electrification	L x W x H
1897ST	E27	Ø25 x 33-150
1898ST	3 x E27	132 x 25 x 31-153






Krisip

Article	Electrification	L x W x H
2677	E27	55 x 40-170





2556ZW



2555ZW



Semicirkel

Article	Electrification	L x W x H
2555ZW	E27	Ø50 x 60-180
2556ZW	2 x E27	116 x 35 x 50-180



6291ST



6291ZW



6291W



6827W



6827ST



6827ZW



Spring

Article	Electrification	L x W x H	Extra information
6290	E27	12,5 x 28-70 x 24	rotary dimmer
6291	E27	12,5 x 23-27 x 17	rotary dimmer
6827	E27	12,5 x 23 x 23	cable switch on/off



Storm

Article	Electrification	L x W x H
---------	-----------------	-----------

1331ZW	E14	Ø18 x 30-150
1332ZW	3 x E14	118 x Ø18 x 150

5798ZW



Parade

Article	Electrification	L x W x H
5798ZW	E27	Ø40 x 40-150

7277ZW



Warbier

Article	Electrification	L x W x H
7277ZW	E27	Ø47 x 50-145


3073ZW



Nimbus

Article	Electrification	L x W x H
3073ZW	E27	Ø50 x 40-150

7834ZW





Bikkel

Article	Electrification	L x W x H
7834	E27	Ø52 x 63-153




7586ZW



7586B

Bikkel

Article	Electrification	L x W x H
7586	E27	Ø42 x 55-145



7586PE





7586ST



7586G

Bikkel

Article	Electrification	L x W x H
7586	E27	Ø42 x 55-145



7979ZW



Bikkel

Article	Electrification	L x W x H
7978ZW	E27	Ø32 x 40-130
7979ZW	2 x E27	140 x 42 x 55-140
7980ZW	3 x E27	160 x 32 x 40-150



1452GR



Bikkel

Article	Electrification	L x W x H
1452GR	E27	Ø42 x 55-145



Tuk

Article	Electrification	L x W x H
7785ST	E27	Ø41 x 60-170

7672ZW





Brooklyn

Article	Electrification	L x W x H	Extra information
7670ZW	E27	Ø50 x 65-150	
7672ZW	3 x E27	140 x 30 x 92-138	
7716ZW	E27	30 x 70 x 138-194	cable switch on/off
7717ZW	E14	20 x 30 x 16	cable switch on/off





2134B



1534B



1533B

Brooklyn

Article	Electrification	L x W x H	Extra information
1533	4,9W GU10	11 x 15 x 12	including light source, dim to warm
1534	2 x 4,9W GU10	30 x 15 x 12	including light sources, dim to warm
2134	3 x 4,9W GU10	61 x 15 x 12	including light sources, dim to warm



2134GR



1534GR



1533GR

Brooklyn

Article	Electrification	L x W x H	Extra information
1533GR	4,9W GU10	11 x 15 x 12	including light source, dim to warm
1534GR	2 x 4,9W GU10	30 x 15 x 12	including light sources, dim to warm
2134GR	3 x 4,9W GU10	61 x 15 x 12	including light sources, dim to warm



3300BR



Pimpernel

Article	Electrification	L x W x H
3300BR	E27	Ø33 x 33
3301BR	E27	Ø32 x 30-140



3306BR




3302BR

3311BR

Pimpernel

Article	Electrification	L x W x H
3302BR	E27	Ø23 x 30-145
3305BR	E27	Ø26 x 30-150
3306BR	E27	Ø25 x 42
3311BR	E27	Ø29 X 30-145
3312BR	E27	Ø23 x 30-145





5970BR



5972BR



5973BR



5971BR

Pimpernel

Article	Electrification	L x W x H	Extra information
5970BR	E27	Ø20,5 x 120	
5971BR	2 x E14	Ø23 x 120	
5972BR	4 x E14	Ø25 x 120	
5973BR	E27	Ø16 x 26	



2616ST



Capri

Article	Electrification	L x W x H	Extra information
2616ST	E27	26 x 13 x 14,5	cable switch on/off
6836ST	2 x E27	80 x 30 x 80-126	glass Ø30 cm
6838ST	2 x E27	56 x 30 x 183	glass Ø17 + Ø30 cm, floor dimmer

6839ST





Capri

Article	Electrification	L x W x H	Extra information
6837ST	3 x E27	115 x 30 x 138-165	glass Ø30 cm
6839ST	E27	Ø45 x 109	glass Ø45 cm
6840ST	E27	17 x 28 x 31	glass Ø17 cm, cable switch on/off
6842ST	E27	Ø25 x 45	glass Ø25 cm, cable switch on/off



2616BR



Capri

Article	Electrification	L x W x H	Extra information
2616BR	E27	26 x 13 x 14,5	cable switch on/off
6684BR	E14	15 x 30 x 34	glass Ø15, rotary dimmer
6838BR	2 x E27	56 x 30 x 183	glass Ø17 + Ø30 cm, floor dimmer
7111BR	E27	Ø45 x 80-155	glass Ø45 cm



3304BR



6842BR



6842BR

Capri

Article	Electrification	L x W x H	Extra information
3304BR	2 x E27	Ø40 x 30	glass Ø40 cm
6839BR	E27	Ø45 x 109	glass Ø45 cm
6842BR	E27	Ø25 x 45	glass Ø25 cm, cable switch on/off

6839BR



6837BR



6840BR





Capri

Article	Electrification	L x W x H	Extra information
6836BR	2 x E27	80 x 30 x 80-126	glass Ø30 cm
6837BR	3 x E27	115 x 30 x 138-165	glass Ø30 cm
6840BR	E27	17 x 28 x 31	glass Ø17 cm, cable switch on/off



7552ST



7549ST




7550ST

Quattro

Article	Electrification	L x W x H	Extra information
7549ST	4,9W GU10	12 x 12 x 15	2200 - 2700 Kelvin, 350 Lumen, including light sources, dim to warm
7550ST	2 x 4,9W GU10	24 x 12 x 15	2200 - 2700 Kelvin, 2 x 350 Lumen, including light sources, dim to warm
7551ST	3 x 4,9W GU10	12 x 36 x 15	2200 - 2700 Kelvin, 3 x 350 Lumen, including light sources, dim to warm
7552ST	4 x 4,9W GU10	24 x 24 x 15	2200 - 2700 Kelvin, 4 x 350 Lumen, including light sources, dim to warm

7551ST





7551ZW



7550ZW



7549ZW



Quattro

Article	Electrification	L x W x H	Extra information
7549ZW	4,9W GU10	12 x 12 x 15	2200 - 2700 Kelvin, 350 Lumen, including light source, dim to warm
7550ZW	2 x 4,9W GU10	24 x 12 x 15	2000 - 2700 Kelvin, 2 x 350 Lumen, including light sources, dim to warm
7551ZW	3 x 4,9W GU10	12 x 36 x 15	2200 - 2700 Kelvin, 3 x 350 Lumen, including light sources, dim to warm
7552ZW	4 x 4,9W GU10	24 x 24 x 15	2200 - 2700 Kelvin, 4 x 350 Lumen, including light sources, dim to warm

7552ZW





Points noirs

BATHROOM
IP44

Article	Electrification	L x W x H	Extra information
3059ZW	4,9W GU10	10 x 10 x 16	2200 - 2700 Kelvin, 350 Lumen, including light source, dim to warm, IP44
3060ZW	2 x 4,9W GU10	22 x 10 x 16	2200 - 2700 Kelvin, 2 x 350 Lumen, including light sources, dim to warm, IP44
3061ZW	3 x 4,9W GU10	32 x 10 x 16	2200 - 2700 Kelvin, 3 x 350 Lumen, including light sources, dim to warm, IP44
3062ZW	4 x 4,9W GU10	44 x 10 x 16	2200 - 2700 Kelvin, 4 x 350 Lumen, including light sources, dim to warm, IP44



7906ST



7904ST



7902ST





Natasja

Article	Electrification	L x W x H	Extra information
3094ST	4,9W GU10	17 x 22 x 33	2200 - 2700 Lumen, 355 Lumen, including light source, dim to warm
7901ST	4,9W GU10	8,5 x 12 x 12	2200 - 2700 Lumen, 355 Lumen, including light source, dim to warm
7902ST	2 x 4,9W GU10	38 x 18 x 12	2200 - 2700 Lumen, 2 x 355 Lumen, including light sources, dim to warm
7903ST	3 x 4,9W GU10	68 x 18 x 12	2000 - 2700 Lumen, 3 x 355 Lumen, including light sources, dim to warm
7904ST	4 x 4,9W GU10	120 x 18 x 12	2200 - 2700 Lumen, 4 x 355 Lumen, including light sources, dim to warm
7905ST	3 x 4,9W GU10	Ø27,5 x 12	2200 - 2700 Lumen, 3 x 355 Lumen, including light sources, dim to warm
7906ST	6 x 4,9W GU10	134 x 18 x 12	2200 - 2700 Lumen, 6 x 355 Lumen, including light sources, dim to warm



7905ZW



7906ZW



3094ST



Natasja

Article	Electrification	L x W x H	Extra information
3094ZW	4,9W GU10	11 x 22 x 333	2200 - 2700 Lumen, 355 Lumen, including light source, dim to warm
7901ZW	4,9W GU10	Ø12 x 12	2200 - 2700 Lumen, 355 Lumen, including light source, dim to warm
7902ZW	2 x 4,9W GU10	38 x 18 x 12	2200 - 2700 Lumen, 2 x 355 Lumen, including light sources, dim to warm
7903ZW	3 x 4,9W GU10	68 x 18 x 12	2200 - 2700 Lumen, 3 x 355 Lumen, including light sources, dim to warm
7904ZW	4 x 4,9W GU10	120 x 18 x 12	2200 - 2700 Lumen, 4 x 355 Lumen, including light sources, dim to warm
7905ZW	2 x 4,9W GU10	Ø27,5 x 12	2200 - 2700 Lumen, 3 x 355 Lumen, including light sources, dim to warm
7906ZW	6 x 4,9W GU10	134 x 18 x 12	2200 - 2700 Lumen, 6 x 355 Lumen, including light sources, dim to warm





Lenox

Article	Electrification	L x W x H	Extra information
1450	12W AR111 G53	17 x 6 x 16,5	2700 Kelvin, 600 Lumen, dimmable driver, including light source
1451	2 x 12W AR111 G53	25 x 6 x 16,5	2700 Kelvin, 2 x 600 Lumen, dimmable driver, including light sources



3371ZW



3371W



3371ST

Pélite spot

Article	Electrification	L x W x H	Extra information
3371	40W GU10	Ø10	excluding light source



7304GR



7304CH



7304ST



7304ZW

Pélite spot

Article	Electrification	L x W x H	Extra information
7304	GU10	Ø10 x 7	excluding light source
7305	GU10	10 x 10 x 7	excluding light source



7305GR



7305ZW



7305W



7305ST



7305CH



1731ZW



1731W



1731ST

BATHROOM
IP44



2488ZW



2488W

2488ST

Pélite spot

Article	Electrification	L x W x H	Extra information
1731	GU10	Ø8,5 x 8,5	excluding light source
2488	GU10	Ø10 x 4,4	excluding light source, ip44



7798ZW



7797ZW



7799ZW



7799W



7798W



7797W

Ceiling & Wall

Article	Electrification	L x W x H	Extra information	Family name
7797	12W	Ø28 x 5	3000 Kelvin, 1100 Lumen, dimmable driver	Lido
7798	18W	Ø36 x 5	3000 Kelvin, 1500 Lumen, dimmable driver	Lido
7799	24W	Ø42 x 5	3000 Kelvin, 2200 Lumen, dimmable driver	Lido



2564ZW



2564W



2564GO



2564ST



7947W



Ceiling and wall LED

Article	Electrification	L x W x H	Extra information	Family name
2564	8W	Ø17 x 4	2700 Kelvin, 700 Lumen, dimmable driver	Lido
7947W	10W + 24W	Ø60 x 7	2700-4000 Kelvin, 800 + 1920 Lumen, dimmable with remote control, light color adjustable	Lido



2127W



2128W

Ceiling and wall

Article	Electrification	L x W x H	Extra information
2127W	12W	Ø25 x 8	2700 Kelvin, 1150 Lumen, dimmable by switch (4 steps), IP44
2128W	18W	Ø30 x 8	2700 Kelvin, 1750 Lumen, dimmable by switch (4 steps), IP44

BATHROOM
IP44



1365ST



1366ST



1367ST



1365ZW



1366ZW



1367ZW

Ceiling and wall

Article	Electrification	L x W x H	Extra information
1365	12W	Ø24 x 7,5	2700 Kelvin, 960 Lumen, 4-steps dimmable by switch, memory, IP44
1366	18W	Ø29 x 10,5	2700 Kelvin, 1440 Lumen, 4-steps dimmable by switch, memory, IP44
1367	24W	Ø36 x 8,5 x	2700 Kelvin, 1920 Lumen, 4-steps dimmable by switch, memory, IP44

BATHROOM
IP44



1363ST



1364ST



1362ST



1364ZW



1362ZW



1363ZW

Ceiling and wall

Article	Electrification	L x W x H	Extra information
1362	12W	Ø18 x 7	2700 Kelvin, 960 Lumen, 4-steps dimmable by switch, memory, IP44
1363	18W	Ø24 x 7	2700 Kelvin, 1440 Lumen, 4-steps dimmable by switch, memory, IP44
1364	24W	Ø30 x 7	2700 Kelvin, 1920 Lumen, 4-steps dimmable by switch, memory, IP44

1364ST





2779BR



2785BR



6183B



2361ST



2361BR



2337ST



2336BR


Ceiling and wall


Article	Electrification	L x W x H
2336 / 2337	E27	Ø26 x 9
2361	E27	Ø30 x 10,5
2779BR	2 x E27	Ø30,5 x 11
2785BR	2 x E27	Ø29 x 9
6183B	2 x E14	Ø53 x 9



Color shades

- P** = Silver Sizoflor. The fabric is glued on a clear foil, which makes the light source clearly visible. This whole is stretched on a metal frame. Made in Holland.
- N** = Black Sizoflor. The fabric which is glued on a clear foil, which makes the light source clearly visible. This whole is stretched on a metal frame. Made in Holland.
- R** = Grey linen. Linen glued on white PVC. Stitched seams. Carefully glued, so that the glue is invisible. This whole is stretched on a metal frame. Made in Holland.
- 2** = Plain white. Chintz white glued on white PVC. Stitched seams. Carefully glued, so that the glue is invisible. This whole is stretched on a metal frame. Made in Holland.
- K** = Velvet gold
- G** = Velvet zinc taupe
- Q** = White linen. Linen glued on white PVC. Stitched seams. Carefully glued, so that the glue is invisible. This whole is stretched on a metal frame. Made in Holland.
- V** = Velvet green
- Z** = Velvet blue





Sparkled Light


Article	Electrification	L x W x H	Extra information
7268	E27	42 x 125-165 x 180-210	cable switch on/off
K1066		Ø50 x 20	
K11130/K10610		Ø38 x 24	
K1001		Ø45 x 40 x 28	
K2000HS		Ø60 x 25	
K2001HS / K2001HS		Ø60 x 25	



8128ZW = 7268ZW + K1066GS



7173W = 7268W + K1066KS




Sparkled Light

Article	Electrification	L x W x H	Extra information
7268W K1066 K11130 / K10610	E27	42 x 125-165 x 180-210 Ø52 x 33 Ø38 x 24	cable switch on/off



8141ZW = 1481ZW + K1068KS





Sparkled Light

Article	Electrification	L x W x H	Extra information
1481	E27	160 x 145-160 x 160	cable switch on/off
K1068		Ø40 x 20	
K11130/K10610		Ø38 x 24	
K1001		Ø45 x 40 x 28	

8148ST = 3602ST+K1066VS



8156ZW = 3602ZW+K1066VS

8149ST = 3602ST+K1066GS



8157ZW = 3602ZW+K1066GS

8150ST = 3602ST+K1066KS



8158ZW = 3602ZW+K1066KS

9886ST = 3602ST+K10662S




8151ZW = 3602ZW+K10662S

9887ST = 3602ST+K1066PS



8153ZW = 3602ZW+K1066PS

9888ST = 3602ST+K1066NS



8152ZW = 3602ZW+K1066NS

9889ST = 3602ST+K1066QS



8154ZW = 3602ZW+K1066QS

9890ST = 3602ST+K1066RS



8155ZW = 3602ZW+K1066RS

8247ST = 3602ST+K1066ZS



8248ZW = 3602ZW+K1066ZS

9566ST = 3602ST+K10012S



8189ZW = 3602ZW+K10012S

9567ST = 3602ST+K1001QS



8190ZW = 3602ZW+K1001QS

9568ST = 3602ST+K1001RS



8191ZW = 3602ZW+K1001RS

9231ST = 3602ST+K11130S



+I15083S [BOX A+B]



7505ZW = 3602ZW+K2000HS



7506ZW = 3602ZW+K2001HS



Sparkled Light

Article	Electrification	L x W x H
3602	E27	135 x 15
K1066		Ø50 x 20
K1001		Ø45 x 40 x 28
K11130S		Ø38 x 24
K2000/2001		Ø60 x 25

8151ZW = 3602ZW+K10662S



8135ZW = 2574ZW + K1066KS





Elegant Classy

Article	Electrification	L x W x H	Extra information
2574	E27	130-9 x 40	cable switch on/off
K1066		Ø50 x 20	



8115ZW = 7395ZW+K1068VS



Prestige Chic

Article	Electrification	L x W x H	Extra information
7395	E27	210 x 30 x 35	cable switch on/off
K1068		Ø40 x 20	
K1001		Ø45 x 28	



Prestige Chic

Article	Electrification	L x W x H	Extra information
7396	E27	80 x 15-45	rotary dimmer
K7396		Ø30 x 18	
K1007		Ø25 x 30 x 18	

811ST = 7396ST + K7396KS



7151W = 3352W+K1066RS + K33342S





Prestige Chic

Article	Electrification	L x W x H	Extra information
3352	30W	Ø39 x 16	2700 Kelvin, 3000 Lumen, external dimmable
K1068		Ø40 x 28	
K1066		Ø50 x 33	
K33332S		Ø40	blender white mat
K33342S		Ø50	blender white mat



7121ZW = 3332ZW + K3084VS

7195ZW = 3332ZW+K26762S



7118ZW = 3332ZW+K30842S



7119ZW = 3332ZW+K3084RS



7120ZW = 3332ZW+K3084QS



7121ZW = 3332ZW+K3084VS



7122ZW = 3332ZW+K3084GS



7123ZW = 3332ZW+K3084KS



7124ZW = 3332ZW+K3084ZS



3332ZW

Stang

Article	Electrification	L x W x H	Extra information
3332ZW	E27	20 x 14 x 48	rotary on/off switch
K2676		Ø20 x 12	
K3084		Ø20 x 15	

7201ZW = 3349ZW+K2131SS



7178ZW = 3349ZW+K73962S



7179ZW = 3349ZW+K7396RS



7180ZW = 3349ZW+K7396QS



7181ZW = 3349ZW+K7396VS



7190ZW = 3349ZW+K7396GS



7191ZW = 3349ZW+K7396KS



7192ZW = 3349ZW+K7396ZS



7191ZW = 3349ZW + K7396KS



3349ZW

Stang

Article	Electrification	L x W x H	Extra information
3349ZW	E27 + 3W LED	Ø50 x 120	2900 Kelvin, 300 Lumen, 2 x on/off switch
K2131		Ø30 x 18	
K7396		Ø30 x 18	





7193ZW = 2995ZW+K26762S



8202ZW = 2995ZW+K30842S



8203ZW = 2995ZW+K3084RS



8204ZW = 2995ZW+K3084QS



8205ZW = 2995ZW+K3084VS



8206ZW = 2995ZW+K3084GS



8207ZW = 2995ZW+K3084KS



8208ZW = 2995ZW+K3084ZS



Stang

Article	Electrification	L x W x H	Extra information
2995ZW	E27 + 1W LED	11 x 17.5 x 15	2900 Kelvin, 100 Lumen. 2 x on/off switch
K2676		Ø20 x 12	
K3084		Ø20 x 15	



8215ZW = 2996ZW + K7396ZS



2996ZW



7194ZW = 2996ZW+K2131SS



8209ZW = 2996ZW+K73962S



8210ZW = 2996ZW+K7396RS



8211ZW = 2996ZW+K7396QS



8212ZW = 2996ZW+K7396VS



8213ZW = 2996ZW+K7396GS



8214ZW = 2996ZW+K7396KS



8215ZW = 2996ZW+K7396ZS

Stang

Article	Electrification	L x W x H	Extra information
2996ZW	E27	17 x 17 x 44	rotary on/off switch
K2131		Ø30 x 18	
K7396		Ø30 x 18	

7196ZW = 2997ZW+K2131SS



8216ZW = 2997ZW+K73962S



8217ZW = 2997ZW+K7396RS



8218ZW = 2997ZW+K7396QS



8219ZW = 2997ZW+K7396VS



8220ZW = 2997ZW+K7396GS



8221ZW = 2997ZW+K7396KS



8222ZW = 2997ZW+K7396ZS



8216ZW = 2997ZW + K73962S



2997ZW



Stang

Article	Electrification	L x W x H	Extra information
2997ZW	E27	28 x 18 x 160	rotary on/off switch
K2131		Ø30 x 18	
K7396		Ø30 x 18	

8249ZW = 3084ZW + K3084ZS



3084ZW



7197ZW = 3084ZW+K26762S



8159ZW = 3084ZW+K30842S



8160ZW = 3084ZW+K3084RS




8161ZW = 3084ZW+K3084QS



8162ZW = 3084ZW+K3084VS



8163ZW = 3084ZW+K3084GS



8164ZW = 3084ZW+K3084KS



8249ZW = 3084ZW+K3084ZS



Stang

Article	Electrification	L x W x H	Extra information
3084ZW	E27	14 x 14 x 30	rotary on/off switch
K2676		Ø20 x 12	
K3084		Ø20 x 15	

7200ZW = 3085ZW+K26762S



8171ZW = 3085ZW+K30842S



8172ZW = 3085ZW+K3084RS



8173ZW = 3085ZW+K3084QS



8174ZW = 3085ZW+K3084VS



8175ZW = 3085ZW+K3084GS



8176ZW = 3085ZW+K3084KS



8251ZW = 3085ZW+K3084ZS



3085ZW



8176ZW = 3085ZW + K3084KS

Stang

Article	Electrification	L x W x H	Extra information
3085ZW	E27	11 x 17,7 x 15	rotary on/off switch
K2676		Ø20 x 12	
K3084		Ø20 x 15	

3307BR



7204BR = 3307BR + K1068ZS



Brass

Article	Electrification	L x W x H	Extra information
3307BR	E27	Ø25 x 39	cable switch on/off
K1068		Ø40 x 20	

7306BR = 3308BR+K1068ZS



7307BR = 3308BR+K1068VS



7308BR = 3308BR+K1068QS



3308BR



7306BR = 3308BR + K1068ZS

Brass

Article	Electrification	L x W x H	Extra information
3308BR	E27	Ø18 x 46	cable switch on/off
K1068		Ø40 x 20	



7309BR = 3309BR+K7396ZS



7310BR = 3309BR+K7396VS



7311BR = 3309BR+K7396QS



Brass

Article	Electrification	L x W x H	Extra information
3309BR K7396	E27	Ø12 x 34 Ø30 x 18	cable switch on/off

7343BR = 3310BR+K1068ZS



7344BR = 3310BR+K1068VS



7345BR = 3310BR+K1068QS



3310BR




Brass

Article	Electrification	L x W x H	Extra information
3310BR	E27	Ø25 x 28	cable switch on/off
K7396		Ø30x 18	



OUTDOOR COLLECTION



Outdoor collection

Article	Electrification	L x W x H	Extra information
1507ZW	2 x 6,5W	22 x 6,5 x 6,5	2700 Kelvin, 2 x 590 Lumen, IP67

2714ZW





Outdoor collection



Article	Electrification	L x W x H	Extra information
2714ZW	7W	19 x 16 x 16,3	2700 Kelvin, 480 Lumen, IP54, aluminium, darkness switch
2722ZW	2 x 6,3W	6,5 x 10 x 22	2700 Kelvin, 2 x 450 Lumen, IP54, darkness switch



Outdoor collection

Article	Electrification	L x W x H	Extra information
2720ZW	2 x 4W GU10	6,7 x 9 x 15,5	2700 Kelvin, 2 x 345 Lumen, IP44, darkness switch
2721ZW	2 x 4W GU10	6,7 x 9 x 15,5	2700 Kelvin, 2 x 345 Lumen, IP44, darkness switch






Outdoor collection

Article	Electrification	L x W x H	Extra information
2727ZW	9,5W 2 x 3W	9 x 12 x 20 9,8 x 10 x 10	2700 Kelvin, 700 Lumen, IP54, darkness switch 2700 Kelvin, 2 x 240 Lumen, IP54, darkness switch




2728ST






Outdoor collection

Article	Electrification	L x W x H	Extra information
1498ZW	2 x 4W GU10	12,5 x 7,5 x 16	2700 Kelvin, 345 Lumen, IP44
2726ZW	2 x 4W GU10	9 x 11 x 23	2700 Kelvin, 2 x 345 Lumen, IP44, darkness switch



1498ZW



1494ZW



1494ST



1495ST



Outdoor collection

Article	Electrification	L x W x H	Extra information
1494	4W GU10	9 x 7 x 9	2700 Kelvin, 345 Lumen, IP44
1495	4W GU10	10 x 9 x 8	2700 Kelvin, 345 Lumen, IP44



1496ST



1497ST

Outdoor collection

Article	Electrification	L x W x H	Extra information
1496	2 x 4W GU10	7 x 9 x 15	2700 Kelvin, 2 x 345 Lumen, IP44
1497	2 x 4W GU10	7 x 9 x 15	2700 Kelvin, 2 x 345 Lumen, IP44






Outdoor collection

Article	Electrification	L x W x H	Extra information
1502ZW	4W GU10	9 x 32	2700 Kelvin, 345 Lumen, IP54
1695ZW	max 40W E27	14 x 11 x 78	IP67, excluding light source



1502ZW



2716ZW

Outdoor collection

Article	Electrification	L x W x H	Extra information
2716ZW	20W	Ø25 x 5,6	2700 Kelvin, 1200 Lumen, IP65, aluminium



1508ZW



Outdoor collection

Article	Electrification	L x W x H	Extra information
1508ZW	max 40W E27	17,5 x 18 x 28	IP67, excluding light source

2717ZW



Outdoor collection

Article	Electrification	L x W x H	Extra information
2715ZW	7W	18,5 x 9 x 4,3	2700 Kelvin, CRI 80, IP65, aluminium
2717ZW	13W	27 x 10 x 5,5	2700 Kelvin, CRI 80, IP65, aluminium



2715ZW



