



GUILLEMIN COUPLINGS 14420 8 Brass

Half-coupling ringed shank

DN Sym	ø/shank	Art. Code	Material
20	25	G20SS25BR	Brass
25	30	G25SS30BR	Brass
30	35	G30SS35BR	Brass
40	45	G40SS45BR	Brass
50	55	G50SS50BR	Brass
65	70	G65SS70BR	Brass
80	90	G80SS90BR	Brass
100	110	G100SS110BR	Brass



Half-coupling ringed shank reduced

DN Sym	ø/shank	Art. Code	Material
40	33	G40SS33BR	Brass
40	35	G40SS35BR	Brass
40	40	G40SS40BR	Brass



Half-coupling ringed shank reduced

DN Sym	ø/shank	Art. Code	Material
50	51	G50SS51BR	Brass
65	64	G65SS64BR	Brass
80	76	G80SS76BR	Brass
80	80	G80SS80BR	Brass
100	102	G100SS102BR	Brass



Simple half-coupling, male B.S.P threaded

DN Sym	ø/male	Art. Code	Material
20	3/4"	G20M075BR	Brass
20	1"	G20M100BR	Brass
25	1"	G25M100BR	Brass
30	1"1/4	G30M125BR	Brass
40	1"1/2	G40M150BR	Brass
40	2"	G40M200BR	Brass
50	2"	G50M200BR	Brass
65	2"1/2	G65M250BR	Brass
80	3"	G80M300BR	Brass
100	4"	G100M400BR	Brass





Simple half-coupling, female B.S.P threaded

DN Sym	ø/female	Art. Code	Material
20	3/4"	G20F075BR	Brass
20	1"	G20F100BR	Brass
25	1"	G25F100BR	Brass
30	1"1/4	G30F125BR	Brass
40	1"1/2	G40F150BR	Brass
40	2"	G40F200BR	Brass
50	2"	G50F200BR	Brass
65	2"1/2	G65F250BR	Brass
80	3"	G80F300BR	Brass
100	4"	G100F400BR	Brass



Half-coupling with locking ring, male B.S.P threaded

DN Sym	ø/male	Art. Code	Material
20	3/4"	G20ML075BR	Brass
20	1"	G20ML100BR	Brass
25	1"	G25ML100BR	Brass
30	1"1/4	G30ML125BR	Brass
40	1"1/2	G40ML150BR	Brass
40	2"	G40ML200BR	Brass
50	2"	G50ML200BR	Brass
50	1"1/2	G50ML150BR	Brass
65	2"1/2	G65ML250BR	Brass
80	3"	G80ML300BR	Brass
100	4"	G100ML400BR	Brass



Half-coupling with locking ring, female B.S.P threaded

DN Sym	ø/female	Art. Code	Material
20	3/4"	G20FL075BR	Brass
20	1"	G20FL100BR	Brass
25	1"	G25FL100BR	Brass
30	1"1/4	G30FL125BR	Brass
40	1"1/2	G40FL150BR	Brass
40	2"	G40FL200BR	Brass
50	2"	G50FL200BR	Brass
50	1"1/2	G50FL150BR	Brass
65	2"1/2	G65FL250BR	Brass
65	2"	G65FL200BR	Brass
80	3"	G80FL300BR	Brass
100	4"	G100FL400BR	Brass



Half-coupling with locking ring, male B.S.P threaded, without jaw

DN Sym	ø/male	Art. Code	Material
50	2"	G50MLSO200BR	Brass
50	1"1/2	G50MLSO150BR	Brass



Cap with locking ring and chain, without jaw

DN Sym	Art. Code	Material
20	G20PLBR	Brass
25	G25PLBR	Brass
30	G30PLBR	Brass
40	G40PLBR	Brass
50	G50PLBR	Brass
65	G65PLBR	Brass
80	G80PLBR	Brass
100	G100PLBR	Brass



Flat dust cap, irrigation type, with chain

DN Sym	Art. Code	Material
40	G40PIBR	Brass
50	G50PIBR	Brass
65	G65PIBR	Brass
80	G80PIBR	Brass





Reduction coupling with locking rings

DN Sym1	DN Sym2	Art. Code	Material
40	20	GRG4020BR	Brass
40	25	GRG4025BR	Brass
40	30	GRG4030BR	Brass
50	40	GRG5040BR	Brass
65	40	GRG6540BR	Brass
65	50	GRG6550BR	Brass
80	40	GRG8040BR	Brass
80	50	GRG8050BR	Brass
80	65	GRG8065BR	Brass
100	40	GRG10040BR	Brass
100	50	GRG10050BR	Brass
100	65	GRG10065BR	Brass
100	80	GRG10080BR	Brass

