


MECHANICAL DATA

CASE DIMENSIONS (excluding brackets)	W1286mm x H210mm x D33mm
DISPLAY VIEWING AREA	W1236mm x H152mm
CASE CONSTRUCTION	Aluminium, textured matt black powder coated finish
WEIGHT	5kg
CABLE EXIT POINTS (as viewed from back)	Rear panel*, top left*, top right *Available for ITxPT

DISPLAY DATA

MAXIMUM CHARACTER HEIGHT	152mm
BRIGHTNESS	6000 cd/m ²
TEXT FORMAT	Static, paging or scrolling, 1 or 2 lines
FONT OPTIONS	Hanover fonts as supplied with HELEN programming software plus Windows™ fonts
DISPLAY TECHNOLOGY	High visibility LEDs (with integrated ambient light sensor)
COMMUNICATION INTERFACES	RS485 (standard), RS232, IBIS, J1708, Ethernet (via controller), Ethernet M12 connector (ITxPT)

LED SPECIFICATION

LIFETIME	Approx. 100,000 hours dependent on temperature and current
SIZE AND TYPE	PLCC-2 SMT package W2.8mm x H3.5mm x D1.9mm
DOMINANT COLOUR WAVELENGTH	White chromaticity coordinates x=0.315 & y=0.329
PITCH	Horizontal 9.7mm / vertical 10.2mm
VIEWING ANGLE (horizontal)	120°

ELECTRICAL DATA

OPERATING VOLTAGE	24Vdc nominal (18-32V) / 12Vdc nominal (10-32V)
NORMAL POWER CONSUMPTION (33% LEDs lit at 50% brightness)	12 watts (0.52A with 24V input and 1.04A with 12V input)
MAXIMUM POWER CONSUMPTION (all LEDs lit at 100% brightness)	36 watts (1.49A with 24V input and 2.98A with 12V input)
ELECTRICAL PROTECTION	Anti-surge, reverse polarity
DISPLAY PROCESSOR FUSE RATING	5A quick blow


OPERATIONAL DATA

TEMPERATURE RANGE (STORAGE)	-20°C to +70°C (-40°C to +80°C)
------------------------------------	---------------------------------

Hanover Displays G4 LED signs meet United Nations Automotive EMC Directive ECE R10 as amended. Certificate Nos. E11*10R06/01*10973*01, E11*10R06/02*12104*01 and E11*10R06/02*12166*00 (ITxPT build).

Hanover Displays LED signs meet United Nations Automotive Burning Behaviour Directive ECE R118. Certificate No. E1*118R03/01*0283*00.

Equality Act 2010 & PSV Accessibility Regulations compliant. Details subject to change.



MEASUREMENTS	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
CASE DIMENSIONS (excluding brackets)	1286	210	33
DISPLAY VIEWING AREA	1236	152	

MECHANICAL DATA	
CASE CONSTRUCTION	Aluminium, textured matt black powder coated finish
WEIGHT	5kg
CABLE EXIT POINTS (as viewed from back)	Rear panel*, top left*, top right *Available for ITxPT

BUS BUILDER TO ENSURE THERE IS FULL ACCESS TO THE DISPLAY FOR SERVICING AND/OR REMOVAL FROM INSIDE THE VEHICLE.