

Minerva™ SC

0.018" system

To treat a wide range of indications

Flexible tip and low profile shaft

Consistent Rated Burst Pressure for all sizes

Semi-Compliant OTW

Excellent for dilatation and lesion preparation

Seamless tip-to-shaft design


Provides smooth transmission and maximized pushability

Low tip profile 0.020"

Facilitates lesion entry

Slider™ hydrophilic coating

Latest hydrophilic coating technology to facilitate easy maneuvering through complex anatomy and lesions



Specifications

Balloon Diameter (mm)	Balloon Length (mm)												Catheter Working Length (cm)	Sheath Compatibility (F)	Nominal Pressure (atm)	Rated Burst Pressure (atm)
	5	10	15	20	30	40	60	80	100	120	150	200				
3.0	-	-	-	V	V	V	V	-	-	-	-	-	40	4	6	14
3.5	-	-	-	V	V	V	V	-	-	-	-	-	40	4	6	14
4.0	-	-	-	V	V	V	V	-	-	-	-	-	40	4	6	14
4.5	-	-	-	V	V	V	V	-	-	-	-	-	40	5	6	14
5.0	-	-	-	V	V	V	V	-	-	-	-	-	40	5	6	14
5.5	-	-	-	V	V	V	V	-	-	-	-	-	40	5	6	14
6.0	-	-	-	V	V	V	V	-	-	-	-	-	40	5	6	14
7.0	-	-	-	V	V	V	V	-	-	-	-	-	40	6	6	14
8.0	-	-	-	V	V	V	V	-	-	-	-	-	40	6	6	14
1.5	V	V	V	V	V	V	V	V	V	V	V	V	70	4	6	14
2.0	V	V	V	V	V	V	V	V	V	V	V	V	70	4	6	14
2.5	V	V	V	V	V	V	V	V	V	V	V	V	70	4	6	14
3.0	V	V	V	V	V	V	V	V	V	V	V	V	70	4	6	14
3.5	V	V	V	V	V	V	V	V	V	V	V	V	70	4	6	14
4.0	V	V	V	V	V	V	V	V	V	V	V	V	70	4	6	14
4.5	V	V	V	V	V	V	V	V	V	V	V	V	70	5	6	14
5.0	V	V	V	V	V	V	V	V	V	V	V	V	70	5	6	14
5.5	V	V	V	V	V	V	V	V	V	V	V	V	70	5	6	14
6.0	V	V	V	V	V	V	V	V	V	V	V	V	70	5	6	14
7.0	V	V	V	V	V	V	V	V	V	V	V	V	70	6	6	14
8.0	V	V	V	V	V	V	V	V	V	V	V	—	70	6	6	14
9.0	V	V	V	V	V	V	V	V	V	V	—	—	70	6	6	14
10.0	V	V	V	V	V	V	V	V	—	—	—	—	70	7	6	14
1.5	V	V	V	V	V	V	V	V	V	V	V	V	90	4	6	14
2.0	V	V	V	V	V	V	V	V	V	V	V	V	90	4	6	14
2.5	V	V	V	V	V	V	V	V	V	V	V	V	90	4	6	14
3.0	V	V	V	V	V	V	V	V	V	V	V	V	90	4	6	14
3.5	V	V	V	V	V	V	V	V	V	V	V	V	90	4	6	14
4.0	V	V	V	V	V	V	V	V	V	V	V	V	90	4	6	14
4.5	V	V	V	V	V	V	V	V	V	V	V	V	90	5	6	14
5.0	V	V	V	V	V	V	V	V	V	V	V	V	90	5	6	14
5.5	V	V	V	V	V	V	V	V	V	V	V	V	90	5	6	14
6.0	V	V	V	V	V	V	V	V	V	V	V	V	90	5	6	14
7.0	V	V	V	V	V	V	V	V	V	V	V	V	90	6	6	14
8.0	V	V	V	V	V	V	V	V	V	V	V	—	90	6	6	14
9.0	V	V	V	V	V	V	V	V	V	V	—	—	90	6	6	14
10.0	V	V	V	V	V	V	V	V	—	—	—	—	90	7	6	14
1.5	V	V	V	V	V	V	V	V	V	V	V	V	150	4	6	14
2.0	V	V	V	V	V	V	V	V	V	V	V	V	150	4	6	14
2.5	V	V	V	V	V	V	V	V	V	V	V	V	150	4	6	14
3.0	V	V	V	V	V	V	V	V	V	V	V	V	150	4	6	14
3.5	V	V	V	V	V	V	V	V	V	V	V	V	150	4	6	14
4.0	V	V	V	V	V	V	V	V	V	V	V	V	150	4	6	14
4.5	V	V	V	V	V	V	V	V	V	V	V	V	150	5	6	14
5.0	V	V	V	V	V	V	V	V	V	V	V	V	150	5	6	14
5.5	V	V	V	V	V	V	V	V	V	V	V	V	150	5	6	14
6.0	V	V	V	V	V	V	V	V	V	V	V	V	150	5	6	14
7.0	V	V	V	V	V	V	V	V	V	V	V	V	150	6	6	14
8.0	V	V	V	V	V	V	V	V	V	V	V	—	150	6	6	14
9.0	V	V	V	V	V	V	V	V	V	V	—	—	150	6	6	14
10.0	V	V	V	V	V	V	V	V	—	—	—	—	150	7	6	14



BrosMed Medical Co., Ltd.

Add: 15th building, SMEs Park, Songshan Lake Hi-Tech Zone, 523808, Dongguan, Guangdong, China
 Tel: +86 (769) 2289 2018 Fax: +86 (769) 2289 2016
 E-mail: sales@brosmed.com www.brosmed.com

BrosMed Medical B.V. (International Sales Office)

Mgr. Buckstraat 8, 6134 AP Sittard The Netherlands
 Tel: +31 (0) 850 140 901
 E-mail: cs@brosmed.com
 Web: www.brosmed.com

US FDA K160256



2797

GRA-6024/Rev.01