



Heim Units GmbH

Valterweg 24 -25
65817 Eppstein-Bremthal, Germany

Phone: +49 (0) 6198 5 88 60 - 0

Fax: +49 (0) 6198 5 88 60 - 22

office@heim-units.de

PRODUCTS FOR FINISHING 2023



PIGMENTS AND SPRAY DYES

CASEIN-FREE COVERING PIGMENTS

Aquatex	White B	Violet
	White C	Red Brown
	Lemon	Brown
	Yellow	Dark Brown
	Ochre	Green
	Orange	Blue
	Red	Black C
	Bordeaux	Black D

TRANSPARENT PIGMENTS

Aquatex TP	White	Red Brown
	Yellow	Yellow Brown
	Orange	Green
	Red	Blue
	Bordeaux	Black
	Violet	Jet Black

COVERING PIGMENTS

Aquatex	White Eco	Bordeaux Eco
	Yellow Eco	Yellow Brown Eco
	Ochre Eco	Brown Eco
	Orange Eco	Dark Blue Eco
	Red Eco	Black Eco



CATIONIC PIGMENTS

Heim K-Pigment	White	Red Brown
	Yellow	Yellow-Brown
	Orange	Green
	Red	Blue
	Bordeaux	Black
	Violet	Jet Black

NON-IONIC, CASEIN FREE COVERING PIGMENTS

Aquatex N	White N	Red Brown
	Yellow	Dark Brown
	Orange	Blue
	Red	Black
	Ochre	

ANIONIC DYE SOLUTIONS

Solvanil W	Yellow Conc	Brown Conc
	Orange Conc	Dark Brown Conc
	Red Conc	Blue Conc
	Ruby Conc	Black A Conc
	Red Brown Conc	Black C Conc
Solvanil MF	Yellow Conc	Lemon Conc
	Orange Conc	Brown R Conc
	Red Conc	Brown L Conc
	Pink Conc	Brown D Conc
	Blue Conc	Black Conc



RESINS

ACRYLIC DISPERSIONS

Heim Resin IMP	Impregnation binder with excellent penetration and binding ability	anionic	soft
Heim Resin IMP/H	Impregnation binder	anionic	medium
Heim Resin A 1019	Extremely fine, full-grain impregnation resin, transparent emulsion	anionic	very soft
Heim Resin A 1520	Water resistant micro binder, Fine-particle, good adhesion	anionic	very soft
Heim Resin A 1818	Extremely low tackiness, good filling properties, for garment leather	anionic	very soft
Heim Resin A 1935	Very soft, elastic polymer with high physical properties	anionic	soft
Heim Resin A 2035	Universal-Binder, elastic, good covering power, very low tackiness	anionic	soft
Heim Resin A 2124 matt	Matt AC for base coat	anionic	soft
Heim Resin A 2236 renewable	Bio based AC	anionic	soft
Heim Resin A 2525	Micro-Binder for full-grain and corrected grain impregnation	anionic	soft
Heim Resin A 2535	Extremely low tackiness, good filling properties, cold flexible -25°C	anionic	soft



ACRYLIC DISPERSIONS (Continued)

Heim Resin A 3535	Self-crosslinking Resin, elastic, water-resistant, shoe and upholstery	anionic	medium soft
Heim Resin A 4835	High resistant to solvents, medium soft with good flexes.	anionic	medium soft
Heim Resin A 9040	Very hard binder for crack effects and as hard component for crystal effect	anionic	very hard

POLYURETHANE DISPERSIONS

Heim Resin PU 1015	For use in cationic, anionic and non-ionic base coats	non-ionic	very soft
Heim Resin PU 1020	Micro binder, for finishing full grain, with good adhesion and polish finish	non-ionic	very soft
Heim Resin PU 1030	For anionic and cationic finishing, transparent emulsion	non-ionic	very soft
Heim Resin PU 1515	Soft PU binder for all kinds of soft leathers with good adhesion	anionic	very soft



POLYURETHANE DISPERSIONS (continued)

Heim Resin PU 1518	Aromatic adhesion binder for waterproof and all kinds of other Leather	anionic	very soft
Heim Resin PU 1521	Aromatic adhesion binder, universal, transparent emulsion	anionic	very soft
Heim Resin PU 1616 K	Compact PU for very, very soft finishing, outstanding soft touch	cationic	soft
Heim Resin PU 1709	Eco binder for full grain leather, natural look, soft, good adhesion and elastic	anionic	very soft
Heim Resin PU 1717	Dispersion to improve the fullness and softness of Nappa leather	anionic	very soft
Heim Resin PU 2240	Soft PU binder for all kinds of soft leathers, soft touch	anionic	soft
Heim Resin PU 2820	Polishable Soft PU Resin, with good adhesion	anionic	soft
Heim Resin PU 3030	Good covering power, 100.000 flexometer, high water-resistance	anionic	soft
Heim Resin PU 3037	Universal PU Dispersion with high fastness properties	anionic	soft



POLYURETHANE DISPERSIONS (continued)

Heim Resin PU 3335 Renewable	Based on a polyether with a minimum of 62% Bio-based Polyols from renewable resources. It has a slightly gummy feel but has good covering power with excellent printing retention. It has good resistance to the hydrolysis and light fastness. both top and middle coat treatments	anionic	medium soft
Heim Resin PU 3935	Special for automotive with high flexes and print retention also for split	anionic	medium soft
Heim Resin PU 4039	Universal binder very transparent, high fastness also for auto leather	anionic	medium hard
Heim Resin PU 4435	Special for automotive with high flexes and print retention also for split	anionic	medium hard
Heim Resin PU 4437 Renewable	Based on a polyether with a minimum of 52% Bio-based Polyols from renewable resources it provides a medium soft and elastic film with excellent resistance to both the break and flexion in cold temperatures. It is used on the bottom coats and offers a very good performance	anionic	medium hard
Heim Resin PU 4735	fine particle sized Polycarbonate Polyurethane for automotive finishing	anionic	medium hard
Heim Resin PU 5039	Universal binder very transparent, high fastness also for auto leather	anionic	medium hard



POLYURETHANE DISPERSIONS (continued)

Heim Resin PU 7235	Universal binder hard, high fastness also for auto leather, high wet -flex	anionic	hard
Heim Resin PU 7735	Hard PU for Top coats	anionic	hard
Heim Resin PU 8035	Universal glue for foils	anionic	hard

COMPACT DISPERSIONS

Heim Compact 18	Eco Compact for soft full covering finishes for all kinds of leathers	anionic	soft
Heim Compact 21	Eco Compact for soft full covering finishes, box and patent basecoat	anionic	soft
Heim Compact 22	Compact for upholstery, high fastness with good water resistance	anionic	soft
Heim Compact 24		anionic	soft
Heim Compact 25	Compact for box and brush off, very high wet and dry flex	anionic	soft
Heim Compact 26 renewable	Bio Compact	anionic	soft



COMPACT DISPERSIONS (continued)			
Heim Compact 29		anionic	soft
Heim Compact 120	Compact for full covering, Upholstery and automobile, good 120 °C test	anionic	soft
Heim Compact 888	Corrected grain finishing of shoe upper, upholstery and handbag	anionic	soft
Heim Compact CA	For furniture leather with good covering high fastness properties	cationic	very soft
Heim Compact Foam AU/MW	For foam finishing automotive leather, also for Flesh side.	anionic	soft
Heim Compact Soave 896	For box and upholstery leather and waterproof finish DIN S3	anionic	soft
Heim Compact NO	Non-ionic Compact for natural finishing soft leather	non-ionic	very soft
Heim Compact TH	For foam finishes, shoe upper, upholstery leather, split finish	anionic	soft
Heim Compact K	Polishable cationic Compact with good adhesion	cationic	very soft
Heim Compact ZB	Eco Compact for soft full covering finishes	anionic	soft



COMPACT DISPERSIONS (continued)

Heim Compact N Renewable	Produces an excellent soft-touch for pre-ground and a dull film with good milling properties	non-ionic	very soft
-------------------------------------	--	-----------	-----------



CASEINS / WAX EMULSIONS / FILLERS

CASEIN PRODUCTS

Heim Top 28	Additive for plated and glazed finish, polyamide type, good flexibility	anionic	medium hard
Heim Top WL 59	Wax-modified polishing ground with good adhesion properties	anionic	medium soft
Heim Top CP	Universal cationic casein	cationic	hard

WAX EMULSIONS / FILLERS

Heim Burnishwax	Dark polishing effect, for burnish and wax finishing, high conc.	non-ionic	medium
Heim Easy Burnish	Very easy strong dark polishing effect	anionic	medium
Heim Filler 11	For nubuck to adjust colour uniformity, with Aquatex TP / Solvanil dye conc.	anionic	very soft
Heim Filler 11 Black	For black nubuck to adjust colour uniformity and fastness	anionic	medium hard
Heim Filler UG	Strong up-grade for any type of leather for first grounds	anionic	very soft



WAX EMULSIONS / FILLERS (continued)

Heim Filler Valioso Conc	ECO Soft filler conc. with matting effect to increase fullness and covering	anionic	very soft
Heim Magic Wax 89	For pull-up effects on pigmented leather, shoe and upholstery	non-ionic	medium
Heim Mattfiller LS Conc.	Silicate containing Mattfiller for strong matting effect	non-ionic	soft
Heim Nubuck Fix PI	For nubuck to adjust colour uniformity, with Aquatex TP / Solvanil dye conc.	anionic	very soft
Heim Polishwax 947	Wax dispersion, no highlighting defects, easy to refinish, good cover	non-ionic	soft
Heim Snowwax 11	For polished white contrasts on shoe and handbag leather, used look	non-ionic	medium hard
Heim Softfiller WS	Ground with very good filling and covering power, close open grain	non-ionic	very soft
Heim Wax 6	Burnish wax / Carnauba Wax with strong pull up	non-ionic	medium
Heim Wax 8 renewable	Bio wax	anionic	soft
Heim Wax 15	Carnauba Wax, dark polish effects and pull-up effects after hot plating	non-ionic	hard



WAX EMULSIONS / FILLERS (continued)

Heim Wax 16	Wax Dispersion for burnish effect and polish finishes	non-ionic	soft
Heim Wax 17	Very strong Anti-tack purpose, hot plate release	non-ionic	very soft
Heim Wax 18	Wax-Dispersion, Anti-tack properties, very soft and natural touch	non-ionic	very soft
Heim Wax 23	Wax-Dispersion, dull after plating, natural touch, for burnish	non-ionic	hard
Heim Wax 54	Wax-Dispersion for garment leather with very soft touch	cationic	very soft
Heim Wax 70	For pre bottom with high covering and soft touch	non-ionic	soft
Heim Wax 71	Paraffin wax dispersion, high conc.	non-ionic	medium soft
Heim Wax 311	Upgrading wax, does not highlight any defects	non-ionic	very soft
Heim Wax BU	For burnish, very clear, shiny look after burnish, good water resistance	non-ionic	medium



WAX EMULSIONS / FILLERS (continued)

Heim Wax Diamond 99	Wax Dispersion very high gloss, transparent, brilliant like a Diamond	non-ionic	hard
Heim Wax F	Anti-tack purpose, good touch and filling	non-ionic	medium hard
Heim Wax SC	Wax /oil emulsion for the use in the wet end for Pull up effect	non-ionic	medium hard
Heim Wax WP	Paraffin emulsion for pull-up effect, can be used on reverse coater	non-ionic	medium hard
Heim Filler KS	Polishing ground, can be also used in wet-end, upgrading, drum finish	cationic	very soft
Heim Polishground K	Oil ground, very good sealing and filling properties, natural touch	non-ionic	very soft
Heim Wax HK	Polishing ground, very good sealing properties and very soft	cationic	very soft
Heim Wax IW	Good sealing properties in cationic and anionic polish groundings	non-ionic	very soft
Heim Wax KH	Good sealing properties in cationic polish grounding, uniform look	cationic	very soft



AQUEOUS TOP COATS

WATER NC LACQUER EMULSIONS

Heim Aqualac NC 607	NC lacquer emulsion with medium gloss and a natural waxy touch	very soft
Heim Aqualac NC 615	NC lacquer emulsion with high gloss and high wet rubs fastness	medium soft
Heim Aqualac NC 626	NC lacquer emulsion with high gloss and a natural touch	medium soft
Heim Aqualax NC black	NC lacquer black	medium soft

AQUEOUS TOP COATS

Heim Aquatop PU 3316 Matt	Soft PU top coat with natural waxy touch for garments and upholstery	anionic	soft
Heim Aquatop PU 3317 Matt Renewable	Gives a very dull top coat with a soft touch and high fastness	anionic	soft
Heim Aquatop PU 3320 Matt	Gives a very dull top coat with soft touch and high fastness for all soft leather types, upholstery, car seat, etc.	anionic	medium soft
Heim Aquatop PU 3816	Soft PU top coat with natural smooth touch for garment and upholstery	anionic	soft



AQUEOUS TOP COATS (continued)

Heim Aquatop PU 3817 Renewable	Good resistance to the hydrolysis and light fastness, which makes this product very suitable for both top and middle coat treatments	anionic	soft
Heim Aquatop PU 4022	Polishable PU top coat for universal use, very transparent, casein look	anionic	medium hard
Heim Aquatop PU 4524 Matt	Soft-Touch PU Topcoat for a special grip, for upholstery, shoes	anionic	medium soft
Heim Aquatop PU 5220 RP	Re-polishable flexible PU top coat, matt with shiny tips after milling	anionic	medium soft
Heim Aquatop PU 5520 Brillant	Flexible PU top coat, shiny for upholstery and soft shoe leather	anionic	medium hard
Heim Aquatop PU 5525 Supermatt	Super Matt Top Coat, silky touch, not repolishable.	anionic	medium hard
Heim Aquatop PU 6025 Matt	Matt top coat for roller coat on box leather	anionic	medium hard
Heim Aquatop PU 7034	High gloss top coat for roll coat for patent leather	anionic	medium hard



AQUEOUS TOP COATS (continued)

Heim Aquatop PU 7037	High gloss top coat for upholstery and shoes leather	anionic	hard
-----------------------------	---	---------	------



FEEL MODIFIERS

SURFACE TOUCH MODIFIERS

Heim Soft 29	High concentrated Silicone for aqueous top coats, natural leather feel
Heim Soft 52	Silicone for aqueous top coats, durable slippery feel
Heim Soft SW	Very slippery effect, silicone-like touch for aqueous top coat
Heim Soft T	Silicon dispersion, for Velour leather (brilliant- and colour enhancement)
Heim Soft U	highly concentrated Silicon dispersion, natural smooth touch
Heim Topoil	Softener for protein-containing binders



SPECIAL PRODUCTS

SPECIAL PRODUCTS			
Heim Dustbinder RS	Modified Polymer to fix dust, for automotive and upholstery leather	anionic	soft
Heim Fleshside Binder AU	Combination of Polymers to fix the flesh side fibre for automotive	anionic	soft
Heim Horizon Stabilizer	To produce very fine-pore foams with high stability (20-30 g/kg)	anionic	soft
Heim Leveller NO 1	Leveller for basecoat and Topcoat	non-ionic	soft
Heim Leveller NO 2	Leveller for basecoat and Topcoat	non-ionic	soft
Heim Stucco 005	Stucco application which improves the selection of full grain leather	anionic	very soft
Heim Stucco 008	Universal Hand Stucco with good covering for Upgrade	anionic	very soft
Heim Stucco 009	Universal Hand Stucco with good covering for Upgrade	anionic	very soft



SPECIAL PRODUCTS (continued)

Heim Stucco FG	Stucco for application on full grain leather for Upgrade	non-ionic	soft
Heim Stucco RC	Stucco for roll coating	non-ionic	soft

WATER AND OIL REPELLENT AGENT

Heim WO - Phob WF New	Fluoroalkyl acrylate water/oil-repellent, newest generation, need min 75 C drying (1:1 spray with water) for Nubuck / Velour
------------------------------	--

PENETRATORS

Heim Driver IP	Very strong Penetrator for impregnation	non-ionic
Heim Driver MO	Very strong Penetrator for impregnation shoe upper corrected grain, box	non-ionic
Heim Driver S	Penetrator to shrink leather, apply Fleshside drops and drying with 80 ° C	non-ionic
Heim Driver TI	Penetration agent for cationic and anionic finishing	non-ionic



PENETRATORS (continued)

Heim Driver WP	Penetrator for waterproof finishes, does not destroy the waterproof-effect	non-ionic
-----------------------	--	-----------

CROSSLINKING AGENTS

Heim Hardener PI 80	Polyisocyanate crosslinker for aqueous polymer finishes
----------------------------	---

VISCOSITY REGULATORS

Heim PU Thickener	Polyurethane Thickener, for roller coating floats, easy to use	non-ionic
Heim Thickener A	Thickener; for all types of finish floats, needs min. 8 ph	anionic



PULL-UP OILS & WAXES

PULL-UP OILS & WAXES THAT CANNOT BE MISCIBLE WITH WATER

Heim Oil Phob 1449	Strong water-repellence for waterproof leather, increase MaeserFlexes	soft
Heim Oil Phob 2000	Strong water-repellence for waterproof leather, does not destroy MaeserFlexes	soft
Heim Oil Phob 3000	Waxy touch on all kinds of leather, for oil pull-up, also waterproof leather	soft
Heim Oil Phob 6000	Strong water-repellence for waterproof leather, doesn't destroy MaeserFlexes	N/A (not applicable)
Heim Wax Duro	Hard hot melting Wax for roller-coater, hard pullup, easy to apply	hard
Heim Wax Grasso	For the use in wet-end to create very waxy touch, with good pull-up effect	medium hard
Heim Wax MO	Medium hard melting wax, pull-up effect with strong waxy touch	medium hard
Heim Wax Pull	Medium hard melting wax for roller-coater. Gives a very strong, clear and uniform pull-up.	medium hard



PULL-UP OILS & WAXES THAT CANNOT BE MISCIBLE WITH WATER (continued)

Heim Wax SP	Soft melting wax for roller-Coater, natural pull-up soft touch	medium soft
Heim Wax TOUCH	Soft melting wax for roller-Coater, excellent silky touch after plating	very soft
Heim Wax UP	Melting wax for strong pull-up, brilliant colours, also for waterproof	medium hard
Heim Wax WH	White melting wax for roller-Coater, for shoe, handbag and fashion leathers	hard

OILS MISCIBLE WITH WATER

Heim Oil 63	Pull-up oil, waxy touch, good uniform and darkening effect, water miscible	soft
Heim Oil N30	Improves levelness of gloss when plating, reduce problem veg tanned break	N/A (not applicable)
Heim Oil N38	Improves levelness of gloss when plating, reduce problem veg tanned break	N/A (not applicable)
Heim Oil NT	Water miscible neatfoot oil, with very good penetration	N/A (not applicable)

-END OF DOCUMENT-