

GUILLEMIN COUPLINGS 14420 8 Stainless steel

Half-coupling ringed shank

DN Sym	ø/shank	Art. Code	Material
20	25	G20SS25SS	Stainless steel
25	30	G25SS30SS	Stainless steel
30	35	G30SS35SS	Stainless steel
40	45	G40SS45SS	Stainless steel
50	55	G50SS55SS	Stainless steel
65	70	G65SS70SS	Stainless steel
80	90	G80SS90SS	Stainless steel
100	110	G100SS110SS	Stainless steel



Half-coupling ringed shank reduced

DN Sym	ø/shank	Art. Code	Material
40	40	G40SS40SS	Stainless steel
40	38	G40SS38SS	Stainless steel
50	51	G50SS51SS	Stainless steel
65	64	G65SS64SS	Stainless steel
80	76	G80SS76SS	Stainless steel
100	102	G100SS102SS	Stainless steel
150	152	G150SS152SS	Stainless steel



Simple half-coupling, male B.S.P threaded

DN Sym	ø/male	Art. Code	Material
20	3/4"	G20M075SS	Stainless steel
25	1"	G25M100SS	Stainless steel
30	1"1/4	G30M125SS	Stainless steel
40	1"1/2	G40M150SS	Stainless steel
50	2"	G50M200SS	Stainless steel
65	2"1/2	G65M250SS	Stainless steel
80	3"	G80M300SS	Stainless steel
100	4"	G100M400SS	Stainless steel



Simple half-coupling, female B.S.P threaded

DN Sym	ø/female	Art. Code	Material
20	3/4"	G20F075SS	Stainless steel
25	1"	G25F100SS	Stainless steel
30	1"1/4	G30F125SS	Stainless steel
40	1"1/2	G40F150SS	Stainless steel
50	2"	G50F200SS	Stainless steel
65	2"1/2	G65F250SS	Stainless steel
80	3"	G80F300SS	Stainless steel
100	4"	G100F400SS	Stainless steel





Simple half-coupling, buttweld

DN Sym	ø/A welding	Art. Code	Material
20	26,9	G20BW26,9SS	Stainless steel
25	33,7	G25BW33,7SS	Stainless steel
30	42,4	G30BW42,4SS	Stainless steel
40	48,3	G40BW48,3SS	Stainless steel
50	60,3	G50BW60,3SS	Stainless steel
65	76,1	G65BW76,1SS	Stainless steel
80	88,9	G80BW88,9SS	Stainless steel
100	114,3	G100BW114,3SS	Stainless steel



Half-coupling with locking ring, male B.S.P threaded

DN Sym	ø/male	Art. Code	Material
20	3/4"	G20ML075SS	Stainless steel
25	1"	G25ML100SS	Stainless steel
30	1"1/4	G30ML125SS	Stainless steel
40	1"1/2	G40ML150SS	Stainless steel
50	2"	G50ML200SS	Stainless steel
65	2"1/2	G65ML250SS	Stainless steel
80	3"	G80ML300SS	Stainless steel
100	4"	G100ML400SS	Stainless steel
150	6"	G150ML600SS	Stainless steel



Half-coupling with locking ring, female B.S.P threaded

DN Sym	ø/female	Art. Code	Material
20	3/4"	G20FL075SS	Stainless steel
25	1"	G25FL100SS	Stainless steel
30	1"1/4	G30FL125SS	Stainless steel
40	1"1/2	G40FL150SS	Stainless steel
50	2"	G50FL200SS	Stainless steel
65	2"1/2	G65FL250SS	Stainless steel
80	3"	G80FL300SS	Stainless steel
100	4"	G100FL400SS	Stainless steel
150	6"	G150FL600SS	Stainless steel





Half-coupling with locking ring, buttweld

DN Sym	ø/A welding	Art. Code	Material
20	26,9	G20BWL26,9SS	Stainless steel
25	33,7	G25BWL33,7SS	Stainless steel
30	42,4	G30BWL42,4SS	Stainless steel
40	48,3	G40BWL48,3SS	Stainless steel
50	60,3	G50BWL60,3SS	Stainless steel
65	76,1	G65BWL76,1SS	Stainless steel
80	88,9	G80BWL88,9SS	Stainless steel
100	114,3	G100BWL114,3SS	Stainless steel
150	168,3	G150BWL168,3SS	Stainless steel



Cap with locking ring and chain, without jaw

DN Sym	Art. Code	Material
20	G20PLSS	Stainless steel
25	G25PLSS	Stainless steel
30	G30PLSS	Stainless steel
40	G40PLSS	Stainless steel
50	G50PLSS	Stainless steel
65	G65PLSS	Stainless steel
80	G80PLSS	Stainless steel
100	G100PLSS	Stainless steel
150	G150PLSS	Stainless steel



Reduction coupling with locking rings

DN Sym1	DN Sym2	Art. Code	Material
40	20	GRG4020SS	Stainless steel
40	25	GRG4025SS	Stainless steel
40	30	GRG4030SS	Stainless steel
50	40	GRG5040SS	Stainless steel
65	40	GRG6540SS	Stainless steel
65	50	GRG6550SS	Stainless steel
80	40	GRG8040SS	Stainless steel
80	50	GRG8050SS	Stainless steel
80	65	GRG8065SS	Stainless steel
100	40	GRG10040SS	Stainless steel
100	50	GRG10050SS	Stainless steel
100	65	GRG10065SS	Stainless steel
100	80	GRG10080SS	Stainless steel
150	100	GRG150100SS	Stainless steel



Flat dust cap, irrigation type, with chain

DN Sym	Art. Code	Material
50	G50PISS	Stainless steel
80	G80PISS	Stainless steel





Half-coupling ribbed shank without jaws

DN Sym	ø/shank	Art. Code	Material
50	55	G50SSWL55SS	Stainless steel
80	76	G80SSWL76SS	Stainless steel
80	90	G80SSWL90SS	Stainless steel



Swivel Half-coupling with locking ring, female B.S.P threaded

DN Sym	ø/female	Art. Code	Material
50	2"	G50FLS200SS	Stainless steel
80	3"	G80FLS300SS	Stainless steel
100	4"	G100FLS400SS	Stainless steel



Swivel Half-coupling with locking ring with serrated shank with collar

DN Sym	ø/shank	Art. Code	Material
50	50	G50SSS50SS	Stainless steel
80	76	G80SSS76SS	Stainless steel

