




**JOENSUUN
NOSTAJAT**

www.joensuunnostajat.fi
Joensuu 0500 375 172
Savonlinna 050 374 2505

Tadano ATF 220G-5








**JOENSUUN
NOSTAJAT**

www.joensuunnostajat.fi
Joensuu 0500 375 172
Savonlinna 050 374 2505

Tadano ATF 220G-5







71 t

DIN/ISO/EN

 m	13.2 m*	13.2 m	17.4 m	21.6 m	25.8 m	30.0 m	34.1 m	38.3 m	42.5 m	46.7 m	50.9 m	55.0 m	59.2 m	63.4 m	68.0 m
2.5	220.0**														
3.0	180.0**	176.5**	140.0**	140.0**	114.4										
3.5	169.5**	160.0**	140.0**	140.0**	114.4	90.5									
4.0	160.0**	150.5**	140.0**	140.0**	111.1	90.5									
4.5	150.5**	138.0**	138.2**	136.9**	104.8	90.5	70.0								
5.0	135.5**	127.0	127.5	126.0	103.0	88.5	70.0	54.5							
6.0	112.5	109.0	109.7	108.2	103.0	79.8	70.0	54.5	43.5						
7.0	96.3	95.5	95.8	95.6	94.9	77.5	66.7	54.5	43.5	34.5					
8.0	83.6	83.6	84.0	84.4	83.1	77.5	61.2	54.5	43.5	34.5	28.5				
9.0	73.5	73.5	73.8	74.2	73.0	73.7	58.0	52.8	43.5	34.5	28.5	23.0			
10.0	65.4	65.4	66.3	66.0	66.2	65.5	58.0	49.0	42.7	34.5	28.5	23.0	18.8		
11.0			59.6	59.7	59.9	58.7	57.7	45.7	40.5	34.5	28.5	23.0	18.8	15.0	
12.0			54.0	54.6	54.2	53.1	54.0	43.4	39.3	33.6	28.5	23.0	18.8	15.0	13.8
14.0			45.2	45.8	45.4	45.8	45.2	40.5	36.0	31.5	27.7	23.0	18.8	15.0	13.8
16.0				39.2	39.6	39.2	38.6	38.0	32.5	29.2	25.5	22.8	18.8	15.0	13.8
18.0				34.1	34.4	34.0	33.4	34.1	29.4	26.8	23.6	21.2	18.7	15.0	13.8
20.0					30.3	29.9	30.6	30.0	26.8	24.8	21.9	20.0	17.4	15.0	13.8
22.0					26.8	26.8	27.1	26.3	24.6	22.9	20.4	18.7	16.5	14.9	13.8
24.0						24.3	23.8	23.0	22.3	21.2	19.1	17.5	15.5	14.0	13.2
26.0						21.6	21.1	20.3	19.6	19.4	17.8	16.4	14.7	13.3	12.4
28.0							18.8	18.0	17.3	18.0	16.8	15.5	13.9	12.6	11.5
30.0							16.9	16.1	16.3	16.1	15.3	14.6	13.1	11.9	10.7
32.0								14.7	15.1	14.4	13.7	13.8	12.5	11.3	10.1
34.0								14.2	13.7	13.0	12.7	12.8	11.9	10.8	9.4
36.0									12.4	11.7	12.1	11.9	11.4	10.2	8.9
38.0									11.3	11.1	11.0	10.8	10.9	9.8	8.3
40.0										10.7	10.0	9.8	10.0	9.3	7.9
42.0										9.9	9.1	9.1	9.1	8.9	7.4
44.0										8.1	8.5	8.7	8.3	8.3	7.0
46.0											8.1	8.0	7.8	7.6	6.6
48.0											7.8	7.4	7.4	6.9	6.2
50.0												6.8	6.8	6.3	5.9
52.0												6.4	6.3	5.7	5.5
54.0													5.8	5.2	5.2
56.0													5.3	4.8	4.7
58.0														4.4	4.3
60.0														4.0	3.9
62.0															3.5
64.0															3.2



47 t

DIN/ISO/EN



[illegible]



	13.2 m*	13.2 m	17.4 m	21.6 m	25.8 m	30.0 m	34.1 m	38.3 m	42.5 m	46.7 m	50.9 m	55.0 m	59.2 m	63.4 m	68.0 m
2.5	220.0**														
3.0	180.0**	170.0**	140.0**	140.0**	114.4										
3.5	166.9**	152.9**	140.0**	140.0**	114.4	90.5									
4.0	146.5**	138.6**	138.8**	137.2**	111.1	90.5									
4.5	130.3	126.3	126.5	124.9	104.8	90.5	70.0								
5.0	117.2	115.8	115.9	115.7	103.0	88.5	70.0	54.5							
6.0	96.7	96.7	96.9	96.7	96.0	79.8	70.0	54.5	43.5						
7.0	81.7	81.7	82.6	82.3	82.5	77.5	66.7	54.5	43.5	34.5					
8.0	70.4	70.4	71.3	71.5	71.2	67.7	61.2	54.5	43.5	34.5	28.5				
9.0	61.7	61.7	62.5	63.2	62.6	60.4	56.6	52.8	43.5	34.5	28.5	23.0			
10.0	54.5	54.5	55.3	56.0	54.9	52.7	49.4	46.4	42.7	34.5	28.5	23.0	18.8		
11.0			48.0	48.2	48.9	46.5	43.7	43.3	39.5	34.5	28.5	23.0	18.8	15.0	
12.0			41.4	42.3	42.2	41.5	41.2	38.8	36.6	33.6	28.5	23.0	18.8	15.0	13.8
14.0			32.0	32.8	34.0	33.8	33.3	31.9	30.0	28.9	27.7	23.0	18.8	15.0	13.8
16.0				27.3	27.6	27.3	26.8	26.4	25.1	25.2	23.7	22.8	18.8	15.0	13.8
18.0				22.6	22.9	22.7	22.1	22.0	22.1	21.4	20.1	20.3	18.7	15.0	13.8
20.0					19.3	19.1	19.2	19.4	18.6	18.8	18.1	17.9	17.3	15.0	13.8
22.0					16.6	16.4	17.2	16.8	16.0	16.5	16.0	15.7	15.6	14.9	13.8
24.0						15.2	14.9	14.6	14.8	14.3	14.5	13.8	13.9	13.3	13.1
26.0						13.3	13.1	13.1	13.1	13.0	12.6	12.5	12.1	11.5	11.5
28.0							11.6	11.9	11.6	11.6	11.4	11.0	10.5	10.0	9.9
30.0							10.7	10.6	10.6	10.3	10.1	9.7	9.2	8.7	8.6
32.0								9.5	9.5	9.2	9.0	8.5	8.1	7.5	7.5
34.0								8.6	8.5	8.2	8.0	7.6	7.1	6.6	6.5
36.0									7.7	7.4	7.1	6.7	6.3	5.7	5.7
38.0									6.9	6.6	6.4	5.9	5.5	5.0	4.9
40.0										5.9	5.7	5.3	4.8	4.3	4.3
42.0										5.4	5.1	4.7	4.2	3.7	3.7
44.0										4.9	4.6	4.1	3.7	3.1	3.1
46.0											4.1	3.6	3.2	2.6	2.6
48.0											3.7	3.2	2.7	2.2	2.2
50.0												2.8	2.3	1.8	1.8
52.0												2.4	2.0	1.4	1.4
54.0													1.6	1.1	1.0
56.0													1.3		



	13.2 m*	13.2 m	17.4 m	21.6 m	25.8 m	30.0 m	34.1 m	38.3 m	42.5 m	46.7 m	50.9 m	55.0 m	59.2 m	63.4 m	68.0 m
2.5	217.2**														
3.0	180.0**	165.2**	140.0**	140.0**	114.4										
3.5	158.4**	148.2**	140.0**	140.0**	114.4	90.5									
4.0	139.0**	134.0**	134.2**	132.6	111.1	90.5									
4.5	123.6	121.8	122.0	120.4	104.8	90.5	70.0								
5.0	110.8	110.8	111.0	110.8	103.0	88.5	70.0	54.5							
6.0	90.9	90.9	91.9	91.6	86.1	78.5	70.0	54.5	43.5						
7.0	76.7	76.7	77.7	77.1	71.5	65.8	60.8	54.5	43.5	34.5					
8.0	65.9	65.9	66.8	64.3	61.4	57.5	53.4	49.6	43.5	34.5	28.5				
9.0	53.8	53.8	56.2	54.3	52.3	49.1	47.7	43.5	40.7	34.5	28.5	23.0			
10.0	44.2	44.2	46.3	47.2	45.3	44.1	42.1	39.4	36.9	34.5	28.5	23.0	18.8		
11.0			39.1	40.0	40.2	39.4	37.3	35.3	32.6	31.2	28.5	23.0	18.8	15.0	
12.0			33.5	34.9	35.7	35.2	33.3	31.5	29.7	27.9	27.1	23.0	18.8	15.0	13.8
14.0			26.1	27.3	27.7	27.4	27.0	26.0	25.4	24.2	22.1	21.8	18.8	15.0	13.8
16.0				21.9	22.2	22.0	22.5	22.5	21.2	20.9	20.1	19.2	18.1	15.0	13.8
18.0				18.0	18.3	19.0	18.9	18.6	18.6	18.3	17.8	16.9	15.9	15.0	13.8
20.0					15.8	16.1	15.9	16.1	16.0	16.1	15.6	15.1	14.2	13.2	12.9
22.0					13.7	13.8	13.8	14.0	14.0	13.7	13.5	13.0	12.3	11.4	11.0
24.0						11.8	12.2	12.1	12.1	11.7	11.5	11.1	10.6	9.8	9.5
26.0						10.4	10.6	10.5	10.4	10.1	9.9	9.4	9.0	8.4	8.2
28.0							9.3	9.2	9.1	8.8	8.6	8.1	7.6	7.1	7.0
30.0							8.2	8.0	8.0	7.6	7.4	7.0	6.5	5.9	5.9
32.0								7.1	7.0	6.7	6.5	6.0	5.6	5.0	5.0
34.0								6.3	6.2	5.9	5.6	5.2	4.7	4.2	4.1
36.0									5.5	5.1	4.9	4.5	4.0	3.4	3.4
38.0									4.8	4.5	4.3	3.8	3.4	2.8	2.8
40.0										3.9	3.7	3.3	2.8	2.3	2.2
42.0										3.5	3.2	2.8	2.3	1.8	1.7
44.0										3.1	2.7	2.3	1.9		
46.0											2.3	1.9	1.4		
48.0											2.0	1.5	1.1		
50.0												1.2			



12 t

DIN/ISO/EN

Matkapainot


	13.2 m*	13.2 m	17.4 m	21.6 m	25.8 m	30.0 m	34.1 m	38.3 m	42.5 m	46.7 m	50.9 m	55.0 m	59.2 m	63.4 m	68.0 m
2.5	206.8**														
3.0	174.1**	160.1**	140.0**	140.0**	114.4										
3.5	150.0**	143.2**	140.0**	140.0**	114.4	90.5									
4.0	131.6	129.0	129.2	127.6	111.1	90.5									
4.5	116.4	116.4	116.6	116.4	104.7	90.5	70.0								
5.0	103.9	103.9	104.1	102.8	91.3	81.6	70.0	54.5							
6.0	85.2	85.2	85.7	78.8	72.0	65.3	59.5	54.5	43.5						
7.0	70.6	70.6	66.7	63.1	59.8	55.4	51.4	46.8	43.5	34.5					
8.0	52.9	52.9	55.0	52.5	49.5	48.2	45.1	41.7	37.6	34.5	28.5				
9.0	41.6	41.6	44.0	44.2	43.5	41.2	38.6	36.3	33.2	31.5	28.5	23.0			
10.0	33.9	33.9	36.0	38.0	37.7	35.8	33.9	32.0	30.9	27.5	26.6	23.0	18.8		
11.0			30.7	32.0	32.4	31.4	29.9	29.7	27.3	25.3	23.3	22.8	18.8	15.0	
12.0			26.2	27.4	27.8	27.6	27.2	26.5	25.5	23.6	22.1	20.5	18.8	15.0	13.8
14.0			19.6	20.8	21.2	22.2	22.0	21.3	21.1	20.6	18.9	17.3	16.4	15.0	13.8
16.0				16.4	17.4	17.5	17.7	17.8	17.8	17.1	16.3	15.3	14.3	13.2	12.8
18.0				13.1	14.0	14.3	14.6	14.5	14.4	14.1	13.7	12.8	11.9	10.9	10.6
20.0					11.5	11.8	12.0	11.9	11.9	11.6	11.3	10.9	10.0	9.1	8.8
22.0					9.6	9.8	10.1	10.0	9.9	9.6	9.4	8.9	8.4	7.6	7.3
24.0						8.3	8.5	8.4	8.4	8.0	7.8	7.4	6.9	6.3	6.1
26.0						7.1	7.3	7.1	7.1	6.8	6.5	6.1	5.6	5.0	5.0
28.0							6.2	6.1	6.0	5.7	5.5	5.0	4.6	4.0	4.0
30.0							5.4	5.2	5.1	4.8	4.6	4.2	3.7	3.1	3.1
32.0								4.5	4.4	4.1	3.8	3.4	2.9		
34.0								3.8	3.7	3.4	3.2	2.7	2.3		
36.0									3.2	2.8	2.6	2.2			
38.0									2.7	2.3	2.1	1.7			
40.0										1.9	1.6	1.2			
42.0										1.5	1.2				
44.0										1.2					







**JOENSUUN
NOSTAJAT**


www.joensuunnostajat.fi
Joensuu 0500 375 172
Savonlinna 050 374 2505


Tadano ATF 220G-5





[illegible]

 13.2 – 68 m	 1.1 + 16.9 m	 HYDRO 1.1 + 16.9 m		 360°	71 t	DIN / ISO / EN									
 m	13.2 m + 1.1 m + 16.9 m			30.0 m + 1.1 m + 16.9 m			42.5 m + 1.1 m + 16.9 m			55.0 m + 1.1 m + 16.9 m			68.0 m + 1.1 m + 16.9 m		
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°
3.0	17.6														
3.5	17.3														
4.0	17.0														
4.5	16.7														
5.0	16.3														
6.0	15.5				12.6										
7.0	14.8				12.6										
8.0	14.1				12.6										
9.0	13.5	11.1			12.6		11.9								
10.0	12.8	10.4			12.6		11.9								
11.0	12.3	9.7			12.6		11.9								
12.0	11.6	9.1			12.6	10.7	11.9				7.4				
14.0	10.0	8.1	6.8		11.9	9.9	11.7				7.4				
16.0	8.7	7.3	6.2		11.3	9.2	11.3	9.6			7.4				
18.0	7.7	6.7	5.8		10.8	8.6	6.5	10.9	9.1		7.4			5.1	
20.0	6.9	6.1	5.4		10.2	8.0	6.2	10.5	8.7	6.4	7.4	7.0		5.1	
22.0	6.3	5.7	5.1		9.5	7.5	5.9	10.1	8.2	6.2	7.4	6.7		5.1	
24.0	5.7	5.3	4.8		8.7	7.0	5.7	9.8	7.8	6.0	7.4	6.5	5.8	5.1	4.9
26.0	5.2	4.9			8.1	6.6	5.5	9.4	7.4	5.8	7.3	6.2	5.6	5.1	4.7
28.0	4.8	4.7			7.5	6.2	5.3	9.1	7.0	5.6	7.0	6.0	5.4	5.0	4.6
30.0					7.0	5.9	5.1	8.5	6.7	5.4	6.8	5.8	5.3	4.8	4.4
32.0					6.6	5.6	4.9	8.0	6.4	5.3	6.5	5.6	5.1	4.6	4.2
34.0					6.2	5.4	4.8	7.6	6.2	5.1	6.3	5.4	5.0	4.6	4.1
36.0					5.9	5.2	4.7	7.2	5.9	5.0	6.1	5.3	4.9	4.4	4.0
38.0					5.6	5.0	4.6	6.8	5.7	4.9	5.9	5.1	4.7	4.2	3.8
40.0					5.3	4.8		6.5	5.5	4.8	5.7	5.0	4.6	4.1	3.7
42.0					5.0	4.7		6.2	5.3	4.7	5.5	4.9	4.5	4.0	3.6
44.0					4.8			5.9	5.1	4.7	5.4	4.8	4.4	3.8	3.5
46.0								5.7	5.0	4.6	5.2	4.6	4.3	3.7	3.4
48.0								5.5	4.9	4.6	5.1	4.5	4.3	3.6	3.3
50.0								5.3	4.7		5.0	4.5	4.2	3.5	3.2
52.0								5.1	4.6		4.7	4.4	4.1	3.4	3.1
56.0								4.6			4.3	4.3	4.0	3.2	3.0
60.0											3.8	3.9		3.0	2.8
64.0											3.1	3.4		2.8	2.7
68.0											2.5			2.5	2.6
72.0														2.1	2.3
76.0														1.6	1.8
80.0														1.2	



	13.2 m + 1.1 m + 22.9 m			30.0 m + 1.1 m + 22.9 m			42.5 m + 1.1 m + 22.9 m			55.0 m + 1.1 m + 22.9 m			68.0 m + 1.1 m + 22.9 m		
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°
3.5	11.1														
4.0	11.1														
4.5	11.1														
5.0	10.9														
6.0	10.5														
7.0	10.1			7.7											
8.0	9.7			7.7											
9.0	9.3			7.7											
10.0	8.9			7.7			7.4								
11.0	8.6			7.7			7.4								
12.0	8.2	7.6		7.7			7.4								
14.0	7.6	6.9		7.7			7.4								
16.0	7.0	6.1		7.7	6.6		7.4			5.5					
18.0	6.4	5.5		7.4	6.2		7.4			5.5					
20.0	5.7	5.0	4.3	7.0	5.9		7.1	6.0		5.5			4.0		
22.0	5.1	4.6	4.0	6.7	5.6	4.4	6.9	5.8		5.5	5.4		4.0		
24.0	4.7	4.2	3.8	6.4	5.4	4.2	6.6	5.5		5.5	5.2		4.0		
26.0	4.3	3.9	3.5	6.1	5.0	4.0	6.4	5.3	4.2	5.5	5.1		4.0		
28.0	3.9	3.6	3.4	5.8	4.7	3.8	6.2	5.1	4.0	5.5	4.9		4.0	3.8	
30.0	3.7	3.4	3.2	5.6	4.5	3.7	6.0	4.9	3.9	5.5	4.7	3.9	4.0	3.6	
32.0	3.4	3.2		5.4	4.3	3.6	5.8	4.7	3.8	5.4	4.6	3.8	3.9	3.5	
34.0	3.2	3.0		5.0	4.0	3.4	5.6	4.5	3.6	5.2	4.4	3.7	3.8	3.4	3.1
36.0				4.7	3.8	3.3	5.4	4.3	3.6	5.0	4.3	3.6	3.6	3.3	3.0
38.0				4.4	3.7	3.2	5.2	4.2	3.5	4.9	4.1	3.6	3.5	3.2	2.9
40.0				4.1	3.5	3.2	5.1	4.0	3.4	4.7	4.0	3.5	3.4	3.1	2.8
42.0				3.9	3.4	3.1	4.9	3.8	3.3	4.5	3.9	3.4	3.3	3.0	2.8
44.0				3.7	3.3	3.0	4.6	3.7	3.2	4.4	3.8	3.3	3.2	2.9	2.7
46.0				3.5	3.1		4.4	3.6	3.2	4.3	3.7	3.3	3.1	2.8	2.6
48.0				3.3	3.0		4.2	3.5	3.1	4.2	3.6	3.2	3.0	2.7	2.5
50.0				3.1			4.0	3.4	3.1	4.0	3.5	3.2	2.9	2.6	2.5
52.0							3.8	3.3	3.0	3.9	3.5	3.1	2.8	2.5	2.4
56.0							3.5	3.1		3.8	3.3	3.0	2.7	2.4	2.3
60.0							3.2	3.0		3.5	3.2	3.0	2.5	2.3	2.2
64.0										3.2	3.1		2.4	2.2	2.0
68.0										2.7	2.9		2.2	2.1	2.0
72.0										2.1	2.3		2.0	2.0	1.9
76.0										1.8			1.7	1.9	
80.0													1.2	1.5	
84.0														1.0	

[illegible]



 m	13.2 m + 1.1 m + 34.9 m			30.0 m + 1.1 m + 34.9 m			42.5 m + 1.1 m + 34.9 m			55.0 m + 1.1 m + 34.9 m			68.0 m + 1.1 m + 34.9 m		
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°
6.0	4.7														
7.0	4.7														
8.0	4.7														
9.0	4.7														
10.0	4.7			4.1											
11.0	4.7			4.1											
12.0	4.5			4.1											
14.0	4.3			4.1			3.9								
16.0	4.0			4.0			3.8								
18.0	3.8			3.8			3.7								
20.0	3.6	3.3		3.7			3.6			3.1			2.4		
22.0	3.4	3.1		3.5	3.1		3.5			3.0			2.4		
24.0	3.2	2.9		3.4	2.9		3.4			3.0			2.4		
26.0	3.0	2.7		3.2	2.8		3.3	2.8		2.9			2.3		
28.0	2.8	2.6		3.1	2.7		3.2	2.7		2.8			2.3		
30.0	2.7	2.4	2.1	3.0	2.6		3.1	2.6		2.7	2.4		2.2		
32.0	2.5	2.2	1.9	2.9	2.5	2.1	3.0	2.5		2.7	2.3		2.2		
34.0	2.2	2.0	1.8	2.8	2.4	2.0	2.9	2.4		2.6	2.2		2.2		
36.0	2.1	1.9	1.7	2.7	2.3	1.9	2.8	2.3	2.0	2.6	2.2		2.1		
38.0	1.9	1.7	1.6	2.6	2.2	1.8	2.7	2.3	1.9	2.5	2.1		2.1		
40.0	1.7	1.6	1.5	2.5	2.1	1.7	2.6	2.2	1.8	2.4	2.1	1.8	2.1		
42.0	1.6	1.5	1.4	2.4	2.0	1.7	2.5	2.1	1.8	2.4	2.0	1.8	2.0		
44.0	1.5	1.4		2.3	1.9	1.6	2.5	2.1	1.7	2.3	2.0	1.7	2.0		
46.0	1.3	1.3		2.2	1.8	1.5	2.4	2.0	1.6	2.3	1.9	1.7	1.9		
48.0				2.1	1.7	1.5	2.3	2.0	1.6	2.2	1.9	1.6	1.9		
50.0				1.9	1.6	1.4	2.2	1.9	1.5	2.2	1.8	1.6	1.9		
52.0				1.8	1.6	1.4	2.2	1.8	1.5	2.1	1.8	1.5	1.8		
56.0				1.6	1.4	1.3	2.1	1.7	1.4	2.0	1.7	1.5	1.7		
60.0				1.4	1.3		1.8	1.5	1.3	1.9	1.7	1.4	1.6		
64.0							1.7	1.4	1.3	1.8	1.6	1.4	1.5		
68.0							1.5	1.3		1.8	1.5	1.3	1.3		
72.0							1.4	1.3		1.7	1.4	1.3	1.2		
76.0										1.6	1.3		1.1		
80.0										1.3	1.3		1.0		
84.0											1.2				




**JOENSUUN
NOSTAJAT**

www.joensuunnostajat.fi
Joensuu 0500 375 172
Savonlinna 050 374 2505

Tadano ATF 220G-5


Hydraulic
Telescopic
Luffing
Jib

HTLJ - Teleskooppi jatkopuomi






HTLJ - Teleskooppi jatkopuomi



 m	13.2 m + 1.9 m + 20.9 m			30.0 m + 1.9 m + 20.9 m			42.5 m + 1.9 m + 20.9 m			55.0 m + 1.9 m + 20.9 m			63.4 m + 1.9 m + 20.9 m		
	5°	30°	60°	5°	30°	60°	5°	30°	60°	5°	30°	60°	5°	30°	60°
7.0	5.6														
8.0	5.6			5.6											
9.0	5.6			5.6											
10.0	5.6			5.6			5.6								
11.0	5.6			5.6			5.6								
12.0	5.6			5.6			5.6								
14.0	5.6			5.6			5.6			5.6					
16.0	5.6	5.6		5.6			5.6			5.6			4.2		
18.0	5.3	5.2		5.6	5.6		5.6			5.6			4.2		
20.0	4.8	4.8		5.6	5.6		5.6	5.6		5.6			4.2		
22.0	4.3	4.5	3.8	5.6	5.3		5.6	5.5		5.6			4.2		
24.0	3.9	4.2	3.7	5.6	5.0	4.0	5.6	5.3		5.6	5.0		4.0		
26.0	3.5	3.9		5.4	4.8	3.9	5.6	5.1	3.9	5.6	4.8		3.8	3.3	
28.0	3.2	3.7		5.0	4.6	3.9	5.6	4.9	3.9	5.6	4.7		3.6	3.1	
30.0	3.0	3.6		4.7	4.4	3.8	5.6	4.8	3.8	5.5	4.6	3.9	3.3	3.0	
32.0	2.7			4.3	4.2	3.8	5.4	4.6	3.8	5.3	4.4	3.8	3.2	2.8	2.7
34.0				4.1	4.1		5.1	4.5	3.7	5.2	4.3	3.8	3.0	2.7	2.6
36.0				3.8	3.9		4.8	4.3	3.7	4.9	4.2	3.7	2.8	2.6	2.4
38.0				3.6	3.8		4.5	4.2	3.7	4.7	4.1	3.7	2.7	2.4	2.3
40.0				3.4	3.7		4.3	4.1		4.4	4.0	3.7	2.5	2.3	2.2
42.0				3.2	3.6		4.0	4.0		4.2	3.9	3.7	2.4	2.2	2.1
44.0				3.0	3.6		3.8	3.9		3.9	3.8		2.3	2.0	2.0
46.0				2.8	3.6		3.6	3.8		3.7	3.7		2.2	1.9	1.9
48.0				2.7			3.5	3.7		3.5	3.5		2.0	1.8	
50.0				2.6			3.3	3.6		3.3	3.3		1.9	1.8	
55.0							2.7	3.1		2.6	2.9		1.6	1.6	
60.0							2.0			1.9	2.3		1.3	1.3	

HTLJ - Teleskooppi jatkopuomi




 m	13.2 m + 1.9 m + 14.7 m			30.0 m + 1.9 m + 14.7 m			42.5 m + 1.9 m + 14.7 m			55.0 m + 1.9 m + 14.7 m			63.4 m + 1.9 m + 14.7 m		
	5°	30°	60°	5°	30°	60°	5°	30°	60°	5°	30°	60°	5°	30°	60°
5.0	13.9														
6.0	13.9														
7.0	13.9			13.9											
8.0	12.7			13.9											
9.0	11.7			13.9			13.9								
10.0	10.7			13.9			13.9								
11.0	9.9	8.7		13.9			13.9			6.9					
12.0	9.2	8.3		13.4	9.3		13.8			6.9					
14.0	8.1	7.6		12.0	8.8		13.1			6.9			5.4		
16.0	7.1	7.0	6.4	10.8	8.3		12.4	8.8		6.9			5.4		
18.0	6.4	6.5	6.3	9.8	7.8	6.5	11.9	8.4		6.9	6.9		5.4		
20.0	5.8	6.2		8.9	7.5	6.4	10.9	8.0	6.5	6.9	6.9		5.2	4.6	
22.0	5.2	5.9		8.2	7.1	6.3	10.1	7.7	6.4	6.9	6.9		4.8	4.3	
24.0	4.8	5.7		7.6	6.8	6.3	9.3	7.4	6.4	6.9	6.9	6.4	4.5	4.1	
26.0	4.5			7.0	6.6	6.3	8.7	7.2	6.3	6.9	6.7	6.3	4.3	3.9	3.7
28.0				6.5	6.3		8.1	6.9	6.3	6.7	6.3	6.2	4.0	3.6	3.5
30.0				6.1	6.1		7.6	6.7	6.2	6.3	6.0	5.9	3.8	3.5	3.3
32.0				5.7	6.0		7.2	6.5	6.2	6.0	5.7	5.6	3.6	3.3	3.2
34.0				5.4	5.8		6.8	6.3		5.6	5.4	5.4	3.4	3.1	3.0
36.0				5.1	5.7		6.4	6.2		5.2	5.1	5.1	3.2	2.9	2.8
38.0				4.8	5.7		6.1	6.0		4.9	4.9		3.0	2.8	2.7
40.0				4.6			5.8	5.9		4.6	4.6		2.8	2.6	2.6
42.0				4.4			5.5	5.7		4.3	4.3		2.7	2.5	
44.0							4.9	5.5		4.0	4.0		2.5	2.4	
46.0							4.2	4.6		3.5	3.8		2.4	2.3	
48.0							3.5	3.9		3.3	3.6		2.2	2.1	
50.0							3.1	3.2		3.0	3.1		2.1	2.0	
55.0							2.0			2.1	2.5		1.6	1.6	
60.0										1.2	1.3		1.4	1.3	





**JOENSUUN
NOSTAJAT**

www.joensuunnostajat.fi
Joensuu 0500 375 172
Savonlinna 050 374 2505

Tadano ATF 220G-5



Jatkopuomit x 4



HTLJ - Teleskooppi jatkopuomi

