



GUILLEMIN COUPLINGS 14420 8 Aluminium

Half-coupling ringed shank

DN Sym	ø/shank	Art. Code	Material
20	25	G20SS25AL	Aluminium
25	30	G25SS30AL	Aluminium
30	35	G30SS35AL	Aluminium
40	45	G40SS45AL	Aluminium
50	55	G50SS55AL	Aluminium
65	70	G65SS70AL	Aluminium
80	90	G80SS90AL	Aluminium
100	110	G100SS110AL	Aluminium



Half-coupling ringed shank reduced

DN Sym	ø/shank	Art. Code	Material
30	32	G30SS32AL	Aluminium
40	30	G40SS30AL	Aluminium
40	35	G40SS35AL	Aluminium
40	40	G40SS40AL	Aluminium
100	102	G100SS102AL	Aluminium
100	105	G100SS105AL	Aluminium
150	152	G150SS152AL	Aluminium



Half-coupling ringed shank reduced

DN Sym	ø/shank	Art. Code	Material
40	40	G40SS40AL	Aluminium
50	51	G50SS51AL	Aluminium
65	64	G65SS64AL	Aluminium
80	76	G80SS76AL	Aluminium
80	80	G80SS80AL	Aluminium
100	100	G100SS100AL	Aluminium
100	102	G100SS102AL	Aluminium
125	125	G125SS125AL	Aluminium



Half-coupling reduced grooved shank

DN Sym	ø/shank	Art. Code	Material
40	45	G40GS45AL	Aluminium
100	100	G100GS100AL	Aluminium
100	110	G100GS110AL	Aluminium
150	152	G150GS152AL	Aluminium



Half-coupling ribbed shank without jaws

DN Sym	ø/shank	Art. Code	Material
50	55	G50SSWL55AL	Aluminium
50	51	G50SSWL51AL	Aluminium
65	64	G65SSWL64AL	Aluminium
80	90	G80SSWL90AL	Aluminium
80	76	G80SSWL76AL	Aluminium



Simple half-coupling, male B.S.P. threaded

DN Sym	ø/male	Art. Code	Material
20	3/4"	G20M075AL	Aluminium
20	1"	G20M100AL	Aluminium
25	1"	G25M100AL	Aluminium
30	1"1/4	G30M125AL	Aluminium
40	1"1/2	G40M150AL	Aluminium
40	2"	G40M200AL	Aluminium
50	2"	G50M200AL	Aluminium
50	1"1/2	G50M150AL	Aluminium
65	2"	G65M200AL	Aluminium
65	2"1/2	G65M250AL	Aluminium
80	3"	G80M300AL	Aluminium
100	4"	G100M400AL	Aluminium



Simple half-coupling, female B.S.P. threaded

DN Sym	ø/female	Art. Code	Material
20	3/4"	G20F075AL	Aluminium
25	1"	G25F100AL	Aluminium
30	1"1/4	G30F125AL	Aluminium
40	1"1/2	G40F150AL	Aluminium
40	2"	G40F200AL	Aluminium
50	2"	G50F200AL	Aluminium
65	2"	G65F200AL	Aluminium
65	3"	G65F300AL	Aluminium
65	2"1/2	G65F250AL	Aluminium
80	2"1/2	G80F250AL	Aluminium
80	3"	G80F300AL	Aluminium
100	3"	G100F300AL	Aluminium
100	4"	G100F400AL	Aluminium





Half-coupling with locking ring, male B.S.P threaded

DN Sym	ø/male	Art. Code	Material
20	3/4"	G20ML075AL	Aluminium
20	1"	G20ML100AL	Aluminium
25	1"	G25ML100AL	Aluminium
30	1"1/4	G30ML125AL	Aluminium
40	1"1/2	G40ML150AL	Aluminium
40	2"	G40ML200AL	Aluminium
50	1"1/2	G50ML150AL	Aluminium
50	2"	G50ML200AL	Aluminium
65	2"	G65ML200AL	Aluminium
65	2"1/2	G65ML250AL	Aluminium
80	2"1/2	G80ML250AL	Aluminium
80	3"	G80ML300AL	Aluminium
100	2"1/2	G100ML250AL	Aluminium
100	3"	G100ML300AL	Aluminium
100	4"	G100ML400AL	Aluminium
125	5"	G125ML500AL	Aluminium
150	6"	G150ML600AL	Aluminium



Half-coupling with locking ring, male B.S.P threaded, without jaw

DN Sym	ø/male	Art. Code	Material
50	1"1/2	G50MLWL150AL	Aluminium
50	2"	G50MLWL200AL	Aluminium
65	2"1/2	G65MLWL250AL	Aluminium
80	3"	G80MLWL300AL	Aluminium
100	4"	G100MLWL400AL	Aluminium





Half-coupling with locking ring, female B.S.P threaded

DN Sym	ø/female	Art. Code	Material
20	3/4"	G20FL075AL	Aluminium
25	1"	G25FL100AL	Aluminium
30	1"1/4	G30FL125AL	Aluminium
40	1"1/2	G40FL150AL	Aluminium
40	1"1/4	G40FL125AL	Aluminium
40	2"	G40FL200AL	Aluminium
50	1"1/2	G50FL150AL	Aluminium
50	2"	G50FL200AL	Aluminium
65	2"1/2	G65FL250AL	Aluminium
65	2"	G65FL200AL	Aluminium
65	3"	G65FL300AL	Aluminium
80	2"1/2	G80FL250AL	Aluminium
80	2"	G80FL200AL	Aluminium
80	3"	G80FL300AL	Aluminium
100	3"	G100FL300AL	Aluminium
100	2"1/2	G100FL250AL	Aluminium
100	4"	G100FL400AL	Aluminium
125	5"	G125FL500AL	Aluminium
150	4"	G150FL400AL	Aluminium
150	6"	G150FL600AL	Aluminium



Half-coupling with locking ring, female B.S.P threaded, without jaw

DN Sym	ø/female	Art. Code	Material
50	2"	G50FLSO200AL	Aluminium
65	2"1/2	G65FLSO250AL	Aluminium
80	3"	G80FLSO300AL	Aluminium
100	4"	G100FLSO400AL	Aluminium



Cap with locking ring and chain, without jaw

DN Sym	Art. Code	Material
20	G20PLAL	Aluminium
25	G25PLAL	Aluminium
30	G30PLAL	Aluminium
40	G40PLAL	Aluminium
50	G50PLAL	Aluminium
65	G65PLAL	Aluminium
80	G80PLAL	Aluminium
100	G100PLAL	Aluminium
150	G150PLAL	Aluminium



Simplified dust cap with handle and chain

DN Sym	Art. Code	Material
30	G30PSAL	Aluminium
40	G40PSAL	Aluminium
50	G50PSAL	Aluminium
65	G65PSAL	Aluminium
80	G80PSAL	Aluminium
80	G80PSALFG	Aluminium
100	G100PSAL	Aluminium



Flat dust cap, irrigation type, with chain

DN Sym	Art. Code	Material
40	G40PIAL	Aluminium
50	G50PIAL	Aluminium
65	G65PIAL	Aluminium
80	G80PIAL	Aluminium
100	G100PIAL	Aluminium



Reduction coupling with locking rings

DN Sym1	DN Sym2	Art. Code	Material
40	20	GRG4020AL	Aluminium
40	25	GRG4025AL	Aluminium
40	30	GRG4030AL	Aluminium
50	25	GRG5025AL	Aluminium
50	30	GRG5030AL	Aluminium
50	40	GRG5040AL	Aluminium
65	40	GRG6540AL	Aluminium
65	50	GRG6550AL	Aluminium
80	40	GRG8040AL	Aluminium
80	50	GRG8050AL	Aluminium
80	65	GRG8065AL	Aluminium
100	40	GRG10040AL	Aluminium
100	50	GRG10050AL	Aluminium
100	65	GRG10065AL	Aluminium
100	80	GRG10080AL	Aluminium
125	100	GRG125100AL	Aluminium
150	100	GRG150100AL	Aluminium
150	125	GRG150125AL	Aluminium





Adapters express/ guillemin half-coupling with locking ring

DN Coupling 1	Coupling 2	Art. Code	Material
40 Sym	Express	G40REXAL	Alu/Brass
40 DSP	Express	D40REXAL	Alu/Brass
50 Sym	Express	G50REXAL	Alu/Brass
65 Sym	Express	G65REXAL	Alu/Brass
65 DSP	Express	D65REXAL	Alu/Brass
80 Sym	Express	G80REXAL	Alu/Brass
100 Sym	Express	G100REXAL	Alu/Brass

