South Africa Standart Rail Scrap: R50-65 + Technical & Chemical Specifications

Giuliano Stefano WILDHABER (Director)
Wellington LLC (ID: 406329888, Tbilisi – Tiflis, Georgia)
CH-9631 Ulisbach / SG, Olensbachstrasse 11 (Switzerland)
Email-Adress: steel-scrap-trading@gmx.ch
Phone: +41 76 690 12 13 (WhatsApp free call)
Homepage: www.steel-scrap-trading.com

March, 2022

TO WHOM IT MAY CONCERN:

Original Pictures from our Supplier = R/P-65 = Mostly used also in this Countries:

Georgia	Latvia	Germany	Poland	Austria	Slovakia	Estonia	Switzerland





Rail Way ISRI Code: 50-65 **50: H/152+B/132+Kg/m/51.8** **65: H/180+B/150+Kg/m/64.8**

Chemical Composition: International Standarts as follows

C: 0,54-0,8 2 Si.: 0,18-0,40 Mn: 0,60-1,05 S: 0,04 mx P: 0,035 max. As.: 0,01 max.

From Mass Standards: R-50 GOST7173-75 + R-65 GOST-8165-75.

The Scrap Consists of: R-50 (51,87 kg / Meter) + R-65 (64,82 kg) / Meter).

Export Standart Packing: Cargo in BULK as per standard length 1.5 Meter.

Free from: Mud, Dust, Fluff, Non-Ferrous inclusion, excessive rust and other impurities.

Certification: of Non-Radiation **by SGS or Bureau Veritas.**

Payment terms: **100% (DL/C) IRREVOCABLE AND TRANSFERABLE DOCUMENTARY LETTER OF CREDIT AT SIGHT (100% L/C AT SIGHT OF DUCUMENTS).** No prepayments.

GSW Global Consult Inc. **WELLINGTON LLC**

Respectly yours ***/s/ Giuliano S. WILDHABER***

4G 90% 09:13